

Site 3016 – Bar Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Befo | re Excavat | on on 10/1 | 8/2016 | | | | | | | | *************************************** | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|---|------------|----------------------|-------------|
| | | S01 | 502 | \$03 | S04 | S05 | S06 | S07 | S08 | S09 | \$10 | S11 | S12 | \$13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 0.74 U | 0.71 U | 0.85 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 0.94 U | 0.78 U | 0.74 U | 0.72 U | 0.67 U | 0.77 U | 0.68 U | 0.64 U | 0.59 U | 2.0 U | 0.58 U | 5 | | 5 | |
| Chromium | μg/L | 2.6 U | 2.9 U | 2.1 U | 2.9 U | 2.9 U | 2.9 U | 3.0 U | 2.7 U | 3.4 U | 3.4 U | 3.3 U | 3.4 U | 3.3 U | 3.5 U | 3.4 U | 3.4 U | 3.4 U | 3.0 U | 3.2 U | 100 | | 100 | - |
| Copper | μg/L | 3.9 U | 3.1 U | 4.3 U | 3.8 U | 3.9 U | 3.5 U | 2.8 U | 2.9 U | 3.6 U | 3.2 U | 3.0 U | 3.0 U | 2.8 U | 3.0 U | 3.1 U | 2.7 U | 2.6 U | 10 U | 2.6 U | _ | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.4 | 2.1 | 2.2 | 2.4 | 2.3 | 2.6 | 2.5 | 2.2 | 2.4 | 2.0 U | 1.8 U | 1.7 U | 1.6 U | 1.8 U | 1.6 U | 1.6 U | 1.5 U | 1.2 U | 1.5 U | _ | 15 | 0 | |
| Lead (Duplicate) | μg/L | 1.35 | 1.25 | 1.25 | 1.63 | 1.59 | 1.84 | 1.75 | 1.50 | 1.29 | 1.00 | 0.86 | 0.84 | 0.83 | 0.82 | 0.81 | 0.82 | 0.84 | 0.82 | 0.77 | | 15 | 0 | |
| Manganese | μg/L | 1.8 J | 1.4 J | 1.7 J | 1.3 J | 1.2 J | 1.2 J | 1.2 J | 1.1 J | 1.8 J | 1.8 J | 1.6 J | 1.6 J | 1.5 J | 1.6 J | 1.5 J | 1.4 J | 1.4 J | 1.0 J | 1.4 J | | | | 50 |
| Nickel | μg/L | 2.2 U | 1.7 U | 2.5 U | 1.5 U | 1.4 U | 1.4 U | 1.4 U | 1.3 U | 1.8 U | 1.7 U | 1.6 U | 1.6 U | 1.5 U | 1.6 U | 1.6 U | 1.4 U | 1.4 U | 2.3 U | 1.3 U | | | | |
| Zinc | μg/L | 82 | 49 | 61 | 26 | 26 | 22 | 18 J | 18 J | 22 | 18 J | 18 J | 17 J | 16 J | 17 J | 16 J | 16 J | 16 J | 14 J | 13 J | | | | 5000 |
| Aluminum | mg/L | 0.088 J- | 0.083 J- | 0.081 J- | 0.090 J- | 0.088 J- | 0.091 J- | 0.091 J- | 0.086 J- | 0.090 J- | 0.095 J- | 0.092 J- | 0.087 J- | 0.087 J- | 0.088 J- | 0.084 J- | 0.089 J- | 0.092 J- | 0.090 J- | 0.090 J- | | | | 0.05 to 0.2 |
| Calcium | mg/L | 37 J+ | 36 J+ | 36 J+ | 38 J+ | 37 J+ | 37 J+ | 38 J+ | 37 J+ | 37 J+ | 39 J+ | 38 J+ | 37 J+ | 37 J+ | 37 J+ | 35 J+ | 37 J+ | 37 J+ | 37 J+ | 38 J+ | | | | |
| Iron | mg/L | 0.022 U | 0.045 U | 0.025 U | 0.10 U | 0.026 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.021 U | 0.10 U | | <u> </u> | | 0.3 |
| Magnesium | mg/L | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 14 | 13 | 13 | 13 | 13 | 12 | 13 | 13 | 13 | 13 | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.5 | 1.6 | 1.6 | 1.6 | 1.6 | | | - | |
| Sodium | mg/L | 12 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 11 | 12 | 12 | 11 | 11 | 11 | 12 | 12 | | | | |
| Tin | mg/L | 0.0023 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0017 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Samp | | | | | | | | | | 110 | | | | _ |
| Chloride | mg/L | | | | | | | | | Not Samp | | | | | | | | | | 3.0 | | | _ | 250 |
| Fluoride | mg/L | | | | | | | | | Not Samp | | | | | | | | | | 0.15 J | 4 | | 44 | <u>2</u> |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Samp | | | | | | | | | | 23.9 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Samp | oled | | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(1+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3016 — Bar Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your R | esults - Aft | er Excavat | ion on 12/ | 1/2016 | | | | | | | | Charles Colonial and Carles Colonial Co | Comparis | on Standards | |
|------------------|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|--|------------|--------------|-------------|
| | | S01 | 502 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, | | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | DS03 | Maximum | Action | Contaminant | Secondary |
| ratainetei | Offics | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Contaminant | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | Level (MCL) | react (ur) | (MCLG) | |
| | | (123 (112) | (123 IIIL) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | Зузісні | | | 1, | |
| Cadmium | μg/L | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 ป | 0.2 ป | 0.2 U | 0.2 U | 0.2 U | 5 | | 5 | |
| Chromium | μg/L | 0.52 U | 0.57 U | 0.50 U | 0.47 U | 0.52 U | 0.48 U | 0.51 U | 0.48 U | 0.57 U | 0.52 U | 0.46 U | 0.48 U | 0.48 U | 0.56 U | 0.49 U | 0.53 U | 0.53 U | 0.52 U | 0.56 U | 100 | | 100 | |
| Copper | μg/L | 1.1 | 0.9 J | 1.0 | 1.1 | 1.1 | 1.7 | 1.0 | 0.92 J | 1.1 | 0.98 J | 0.90 J | 0.83 J | 0.93 J | 0.89 J | 0.84 J | 1.0 | 0.84 J | 0.86 J | 0.76 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 0.68 J | 0.72 J | 0.85 J | 0.9 J | 0.87 J | 0.97 J | 1.1 | 1.1 | 1.1 | 1.0 | 0.86 J | 0.80 J | 0.81 J | 0.82 J | 0.77 J | 0.79 J | 0.77 J | 0.78 J | 0.70 J | | 15 | 0 | |
| Manganese | μg/L | 0.66 U | 0.68 U | 0.80 U | 0.68 U | 0.66 U | 0.63 U | 0.64 U | 0.62 U | 0.66 U | 0.75 U | 0.68 U | 0.72 U | 0.66 U | 0.70 U | 0.65 U | 0.71 U | 0.64 U | 0.67 U | 0.70 U | | | | 50 |
| Nickel | μg/L | 0.83 | 0.56 | 0.63 | 0.51 | 0.52 | 0.50 | 0.53 | 0.52 | 0.55 | 0.49 J | 0.55 | 0.54 | 0.62 | 0.50 J | 0.49 J | 0.72 | 0.50 J | 0.56 | 0.53 | | | | |
| Tin | μg/L | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 10 | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | | | | |
| Zinc | μg/L | 40.7 | 32.0 | 44.2 | 20.6 | 18.8 | 20.6 | 15.5 | 14.2 | 16.8 | 13.5 | 12.9 | 12.2 | 13.6 | 12.2 | 11.7 | 12.5 | 11.1 | 11.4 | 7.5 | | | | 5000 |
| Aluminum | mg/L | 0.0373 | 0.0388 | 0.0382 | 0.0377 | 0.0380 | 0.0388 | 0.0393 | 0.0392 | 0.0394 | 0.0387 | 0.0387 | 0.0383 | 0.0397 | 0.0399 | 0.0382 | 0.0405 | 0.0391 | 0.0389 | 0.0397 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 34.5 J | 34.4 J | 35.8 J | 35.5 J | 34.8 J | 34.4 J | 35.4 J | 34.9 J | 35.0 J | 34.4 J | 35.2 J | 34.8 J | 34.5 J | 35.2 J | 34.3 J | 34.7 J | 35.2 J | 35.1 J | 34.2 J | | | | |
| Iron | mg/L | 0.0192 J | 0.100 U | 0.042 J | 0.0253 J | 0.0153 J | 0.166 | 0.100 U | 0.100 U | 0.0146 J | 0.0195 J | 0.100 U | 0.0166 J | 0.0178 J | 0.0277 J | 0.0297 J | 0.0243 J | 0.0138 J | 0.0331 J | 0.0204 J | | | | 0.3 |
| Magnesium | mg/L | 11.8 | 11.8 | 12.3 | 12.2 | 11.9 | 11.8 | 12.2 | 12.0 | 11.9 | 11.8 | 12.0 | 11.9 | 11.8 | 12.0 | 11.7 | 11.8 | 11.9 | 11.9 | 11.6 | | | | |
| Potassium | mg/L | 1.58 | 1.57 | 1.57 | 1.64 | 1.63 | 1.57 | 1.61 | 1.60 | 1.58 | 1.57 | 1.60 | 1.57 | 1.55 | 1.57 | 1.57 | 1.56 | 1.58 | 1.57 | 1.57 | | | | |
| Sodium | mg/L | 10.5 J | 10.4 J | 10.9 J | 10.9 J | 10.7 J | 10.6 J | 10.9 J | 10.7 J | 10.8 J | 10.5 J | 10.7 J | 10.6 J | 10.5 J | 10.8 J | 10.5 J | 10.5 J | 10.7 J | 10.7 J | 10.4 J | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | oled | | | | | | | | | 103 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 16.6 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 0.111 | 4 | | 44 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 27.0 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.232 | | | - | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3066 — Bathroom Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ır Results | Before Ex | cavation o | n 10/10/20 | 16 | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | \$10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | B # 2 | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Maximum | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 2.6 U | 2.9 U | 2.6 U | 3.1 U | 2.5 U | 2.9 U | 2.7 U | 2.7 U | 2.6 U | 2.6 U | 2.8 U | 2.4 U | 2.6 U | 2.8 U | 2.8 U | 2.8 U | 100 | | 100 | |
| Copper | μg/L | 11 | 2.5 J | 5.6 J | 4.2 J | 3.6 J | 3.2 J | 2.8 J | 2.8 J | 2.2 J | 3.7 J | 1.9 J | 3.1 J | 2.6 J | 1.9 J | 3.1 J | 4.4 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 23 | 14 | 26 | 27 | 24 | 22 | 25 | 24 | 20 | 17 | 16 | 9.1 | 5.6 | 5.5 | 5.2 | 3.6 | | 15 | 0 | |
| Manganese | μg/L | 3.0 J | 3.4 J | 4.3 | 4.8 | 4.2 | 3.6 J | 3.8 J | 3.4 J | 3.4 J | 3.8 J | 3.9 J | 3.6 J | 3.3 J | 3.4 J | 3.6 J | 3.9 J | | | | 50 |
| Nickel | μg/L | 2.2 J | 1.9 J | 4.0 J | 2.6 J | 3.7 J | 1.9 J | 2.1 J | 1.6 J | 1.7 J | 2.1 J | 1.9 J | 2.6 J | 3.8 J | 1.8 J | 2.0 J | 2.2 J | | | | |
| Zinc | μg/L | 290 | 110 | 84 | 67 | 28 | 21 | 19 J | 64 | 15 J | 18 J | 13 J | 22 | 13 J | 11 J | 12 J | 16 J | | | | 5000 |
| Aluminum | mg/L | 0.078 J- | 0.11 J- | 0.13 J- | 0.14 J- | 0.14 J- | 0.15 J- | 0.14 J- | 0.14 J- | 0.14 J- | 0.13 J- | 0.14 J- | 0.13 J- | 0.14 J- | 0.13 J- | 0.14 J- | 0.13 J- | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35 J+ | 35 J+ | 35 J+ | 36 J+ | 36 J+ | 34 J+ | 36 J+ | 36 J+ | 35 J+ | 33 J+ | 36 J+ | 35 J+ | 37 J+ | 35 J+ | 35 J+ | 35 J+ | | | | |
| Iron | mg/L | 0.11 | 0.16 | 0.25 | 0.30 | 0.26 | 0.22 | 0.24 | 0.21 | 0.20 | 0.19 | 0.2 | 0.20 | 0.18 | 0.17 | 0.17 | 0.18 | | | | 0.3 |
| Magnesium | mg/L | 13 J+ | 12 J+ | 12 J+ | 13 J+ | 13 J+ | 12 J+ | 13 J+ | 13 J+ | 13 J+ | 12 J+ | 13 J+ | 12 J+ | 13 J+ | 13 J+ | 13 J+ | 12 J+ | | | | |
| Potassium | mg/L | 1.6 | 1.5 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.6 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 11 | 12 | 11 | 12 | 12 | 11 | 11 | 12 | 11 | 12 | 11 | 11 | 11 | | | | |
| Tin | mg/L | 0.0025 U | 0.0023 U | 0.020 U | 0.0017 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0021 U | 0.020 U | 0.020 U | 0.0017 U | 0.0018 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 5.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.17 J | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | | | | | | | | 23.9 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | · | · | | · | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3066 — Bathroom Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | Your Resul | ts - After Ex | cavation or | 12/13/20: | 16 | | | | | | | Compariso | on Standards | |
|------------------|------------|------------|------------|-----------|-----------|-----------|-----------|------------|---------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|---------------------|------------------------|------------|--------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Maximum Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | Distribution | Level (MCL) | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | Level (Wice) | | (MCLG) | |
| | | (123 1111) | (123 IIIL) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | | | | | |
| Cadmium | μg/L | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 5 | | 5 | |
| Chromium | μg/L | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 100 | | 100 | |
| Copper | μg/L | 32.2 | 2.44 | 6.19 | 2.25 | 1.94 | 2.30 | 1.85 | 1.57 | 1.27 | 1.45 | 1.26 | 1.14 | 1.00 U | 1.00 | 1.12 | 1.00 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 41.9 | 17.4 | 25.0 | 21.3 | 17.3 | 17.1 | 17.2 | 17.0 | 15.7 | 13.0 | 9.46 | 4.99 | 2.96 | 2.64 | 2.59 | 2.02 | | 15 | 0 | |
| Zinc | μg/L | 1000 | 250 | 66.8 | 47.9 | 24.5 | 17.8 | 14.8 | 17.2 | 12.6 | 11.0 | 10.4 | 10.0 U | 10.3 | 10.0 U | 10.0 U | 10.0 U | | | | 5000 |
| Manganese | μg/L | 8 U | 8 U | 9.9 | 9.4 | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | | | | 50 |
| Nickel | μg/L | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | | | | |
| Aluminum | mg/L | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35.1 | 35.0 | 34.9 | 34.1 | 34.9 | 33.8 | 34.0 | 34.6 | 35.1 | 34.8 | 36.8 | 34.5 | 35.0 | 35.0 | 34.7 | 35.0 | | | | |
| Iron | mg/L | 0.273 | 0.123 | 0.225 | 0.137 | 0.108 | 0.0993 | 0.0979 | 0.104 | 0.132 | 0.110 | 0.119 | 0.100 | 0.0961 | 0.0954 | 0.0942 | 0.0800 U | | | | 0.3 |
| Magnesium | mg/L | 12.5 | 11.9 | 12.0 | 11.7 | 12.0 | 11.6 | 11.6 | 11.9 | 12.0 | 11.9 | 12.8 | 11.8 | 12.0 | 12.0 | 11.9 | 12.1 | | | | |
| Potassium | mg/L | 1.77 | 1.70 | 1.71 | 1.72 | 1.73 | 1.65 | 1.67 | 1.70 | 1.74 | 1.66 | 1.84 | 1.68 | 1.70 | 1.68 | 1.68 | 1.72 | | | | |
| Sodium | mg/L | 11.1 | 10.8 | 10.8 | 10.7 | 10.9 | 10.6 | 10.7 | 10.8 | 10.9 | 10.8 | 11.4 | 10.7 | 10.9 | 10.8 | 10.8 | 10.9 | | | | |
| Tin | mg/L | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | No | ot Sampled | | | | | | | | 110 J | | | | |
| Chloride | mg/L | | | | | | | No | ot Sampled | | | | | | | | 18.1 | | | | 250 |
| Fluoride | mg/L | | | | | | | No | ot Sampled | | | | | | | | 0.09 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | No | ot Sampled | | | | | | | | 29.7 L | | | | 250 |
| Total Phosphorus | mg/L | | • | • | • | • | • | No | ot Sampled | • | | | | • | • | | 0.17 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

K = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

L = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3070 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Befo | re Excavat | on on 10/: | 11/2016 | | | | | | | | | Comparis | on Standards | |
|------------------|------------|------------|------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------------|-------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | 504 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | 513 | 514 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | 2nd sample | 3rd sample | 4th sample | 5th sample | 6th sample | 7th sample | 8th sample | 9th sample | 10th sample | 11th sample | 12th sample | 13th sample | 14th sample | 15th sample | 16th sample | 17th sample | 18th sample | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| | | (125 mL) | (125 mL) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | oysie,n | | | (111020) | |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 1.8 U | 2.0 U | 2.0 U | 2.0 U | 0.55 U | 5 | | 5 | |
| Chromium | μg/L | 3.6 U | 3.6 U | 3.6 U | 3.6 U | 3.5 U | 3.3 U | 3.5 U | 3.3 U | 3.7 U | 3.6 U | 3.6 U | 3.6 U | 3.6 U | 3.6 U | 4.9 | 3.3 U | 3.3 U | 3.5 U | 3.6 U | 100 | | 100 | |
| Copper | μg/L | 12 | 2.8 U | 2.4 U | 2.3 U | 2.3 U | 2.2 U | 2.0 U | 2.1 U | 2.2 U | 1.8 U | 1.7 U | 1.6 U | 3.7 U | 1.6 U | 3.4 U | 1.6 U | 1.7 U | 1.6 U | 1.9 U | _ | 1300 | 1300 | 1000 |
| Lead | μg/L | 9.5 | 7.0 | 5.1 | 8.4 | 8.6 | 8.6 | 8.6 | 9.2 | 10 | 11 | 13 | 9.1 | 5.0 | 3.7 | 5.4 | 3.7 | 3.6 | 4.2 | 3.4 | _ | 15 | 0 | |
| Lead (Duplicate) | μg/L | 7.37 | 5.65 | 3.88 | 6.11 | 6.88 | 6.82 | 6.61 | 6.93 | 7.55 | 8.93 | 10.1 | 7.14 | 3.82 | 2.89 | 2.74 | 2.67 | 2.66 | 2.63 | 2.18 | | | | |
| Manganese | μg/L | 2.7 J | 2.5 J | 1.7 J | 1.6 J | 2.2 J | 1.8 J | 1.8 J | 1.5 J | 1.6 J | 1.5 J | 2.7 J | 1.6 J | 1.6 J | 1.6 J | 3.3 J | 1.9 J | 1.9 J | 1.8 J | 2.9 J | | | - | 50 |
| Nickel | μg/L | 4.9 | 2.8 J | 2.0 J | 1.8 J | 1.8 J | 1.7 J | 1.8 J | 1.8 J | 1.9 J | 1.8 J | 1.8 J | 1.8 J | 2.2 J | 1.8 J | 3.4 J | 2.0 J | 1.9 J | 1.9 J | 2.3 J | _ | - | - | - |
| Zinc | μg/L | 270 | 140 | 71 | 32 | 26 | 28 | 32 | 23 | 20 J | 17 J | 16 J | 15 J | 19 J | 14 J | 17 J | 13 J | 15 J | 13 J | 21 | | _ | - | 5000 |
| Aluminum | mg/L | 0.068 | 0.072 | 0.081 | 0.087 | 0.084 | 0.085 | 0.086 | 0.087 | 0.087 | 0.081 | 0.084 | 0.084 | 0.084 | 0.081 | 0.098 | 0.097 | 0.096 | 0.097 | 0.085 | - | | | 0.05 to 0.2 |
| Calcium | mg/L | 37 | 36 | 39 | 39 | 37 | 38 | 38 | 39 | 39 | 37 | 37 | 37 | 37 | 38 | 36 | 37 | 36 | 36 | 38 | | - | - | |
| Iron | mg/L | 0.057 U | 0.063 U | 0.046 U | 0.084 U | 0.066 U | 0.068 U | 0.049 U | 0.052 U | 0.084 U | 0.032 U | 0.031 U | 0.036 U | 0.026 U | 0.026 U | 0.061 U | 0.081 U | 0.061 U | 0.059 U | 0.028 U | | | | 0.3 |
| Magnesium | mg/L | 13 | 13 | 14 | 14 | 13 | 14 | 14 | 14 | 14 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.8 | 1.7 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.7 | 1.6 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | - | - | | |
| Sodium | mg/L | 12 J+ | 12 J+ | 13 J+ | 13 J+ | 12 J+ | 13 J+ | 13 J+ | 13 J+ | 13 J+ | 12 J+ | 13 J+ | 12 J+ | 12 J+ | 13 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 13 J+ | | | - | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.023 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | - | - | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | pled | | | | | | | | | 110 | - | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 3.0 | - | | - | 250 |
| Fluoride | mg/L | | <u> </u> | | | | | | | Not Sam | | | | | | | | | | 0.15 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 23.9 J | | | _ | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 0.018 J | - | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3070 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your | Results - Af | ter Excavat | on on 11/8 | /2016 | | | | | | | | | Compariso | n Standards | Trigophic Control of C |
|------------------|--------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|---|----------------------|--|
| | | 501 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, | | ALCONOMICS OF THE PROPERTY OF | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | DS03 | Maximum | Action | Contaminant | Secondary |
| r al alliecel | Offics | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 0.13 J | 0.06 J | 0.03 J | 0.03 J | 0.02 J | 0.02 J | 0.02 J | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.03 J | 0.20 U | 0.20 U | 5 | | 5 | - |
| Chromium | μg/L | 0.53 J | 0.52 J | 0.55 J | 0.51 U | 0.58 J | 0.55 J | 0.54 J | 0.61 J | 0.63 J | 0.56 J | 0.54 J | 0.57 J | 0.57 J | 0.58 J | 0.56 J | 0.55 J | 0.59 J | 0.60 J | 0.62 J | 100 | | 100 | _ |
| Copper | μg/L | 27.7 | 3.1 | 1.8 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 0.97 J | 0.94 J | 1 J | 0.97 J | 0.92 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 3.5 | 2.7 | 3.3 | 3.8 | 4.0 | 4.2 | 4.3 | 4.3 | 4.0 | 4.0 | 4.0 | 3.3 | 2.4 | 2.1 | 2.0 | 2.0 | 2.0 | 2.0 | 1.8 | | 1.5 | 0 | |
| Manganese | μg/L | 1.5 | 1.1 | 1.2 | 1.2 | 1.3 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 1.0 | 1.0 | 1.1 | 1.1 | 1.0 | 1.0 | 1.1 | 1.1 | 1.1 | | | | 50 |
| Nickel | μg/L | 8.6 | 1.5 | 0.66 U | 0.59 U | 0.60 U | 0.81 | 1.0 | 0.91 | 0.84 | 0.68 U | 0.63 U | 0.62 U | 1.4 | 0.66 U | 0.53 U | 0.54 U | 0.70 U | 0.56 U | 0.69 U | | | | |
| Tin | μg/L | 0.19 J | 0.07 J | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 0.08 J | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 0.08 J | | | | |
| Zinc | μg/L | 206 J+ | 64.6 J+ | 25.6 J+ | 15.4 J+ | 13.5 J+ | 13.9 J+ | 15.0 J+ | 12.2 J+ | 11.0 J+ | 10.2 J+ | 8.9 J+ | 9.4 J+ | 9.9 J+ | 8.7 J+ | 8.3 J+ | 8.2 J+ | 9.3 J+ | 8.3 J+ | 7.9 J+ | | | | 5000 |
| Aluminum | mg/L | 0.0564 | 0.0660 | 0.0769 | 0.0736 | 0.0684 | 0.0743 | 0.0726 | 0.104 | 0.0709 | 0.0695 | 0.0696 | 0.0813 | 0.0798 | 0.0727 | 0.0740 | 0.0712 | 0.0718 | 0.0713 | 0.0735 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 33.2 | 32.6 | 33.1 | 33.6 | 33.4 | 32.9 | 33.9 | 32.9 | 33.0 | 33.0 | 33.4 | 33.1 | 32.3 | 32.6 | 32.3 | 33.1 | 32.7 | 32.7 | 33.2 | | | | |
| Iron | mg/L | 0.0390 J | 0.0456 J | 0.0512 J | 0.0538 J | 0.0418 J | 0.0564 J | 0.0427 J | 0.0357 J | 0.0509 J | 0.0325 J | 0.0334 J | 0.0416 J | 0.0247 J | 0.0267 J | 0.0273 J | 0.0290 J | 0.0219 J | 0.0220 J | 0.0273 J | | | | 0.3 |
| Magnesium | mg/L | 11.8 | 11.6 | 11.8 | 12.0 | 11.9 | 11.7 | 12.1 | 11.7 | 11.7 | 11.7 | 11.8 | 11.8 | 11.6 | 11.7 | 11.6 | 11.8 | 11.7 | 11.7 | 11.9 | | | | |
| Potassium | mg/L | 1.80 | 1.69 | 1.67 | 1.68 | 1.70 | 1.65 | 1.70 | 1.67 | 1.68 | 1.64 | 1.68 | 1.65 | 1.56 | 1.60 | 1.59 | 1.61 | 1.67 | 1.62 | 1.62 | | | | |
| Sodium | mg/L | 11.4 | 11.1 | 11.1 | 11.3 | 11.3 | 11.0 | 11.3 | 11.2 | 11.0 | 11.0 | 11.2 | 11.0 | 10.8 | 10.9 | 10.8 | 10.9 | 10.9 | 11.0 | 10.9 | | | | |
| Total Alkalinity | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 104 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 16.8 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 0.149 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | • | | | | | | | | | 26.4 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | ıpled | | | | | | | | | 0.121 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3071 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ır Results | Before Ex | cavation o | n 10/15/20 |)16 | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|-------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 1.8 U | 1.9 U | 2.0 U | 1.9 U | 1.9 U | 1.6 U | 1.9 U | 2.0 U | 2.1 U | 2.1 U | 2.2 U | 2.2 U | 2.1 U | 2.1 U | 2.1 U | 2.1 U | 100 | | 100 | |
| Copper | μg/L | 58 | 120 | 20 | 9.2 U | 6.6 U | 6.8 U | 4.2 U | 4.3 U | 3.8 U | 3.9 U | 3.7 U | 3.6 U | 3.6 U | 3.8 U | 3.4 U | 5.0 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 9.9 | 15 | 5.3 | 6.9 | 9.0 | 11 | 12 | 14 | 19 | 19 | 17 | 15 | 11 | 7.8 | 5.5 | 4.8 | | 15 | 0 | |
| Manganese | μg/L | 2.4 J | 1.2 J | 2.2 J | 1.4 J | 1.1 J | 1.3 J | 0.82 J | 0.82 J | 0.70 J | 0.71 J | 1.2 J | 0.72 J | 1.0 J | 0.82 J | 0.88 J | 0.96 J | | | | 50 |
| Nickel | μg/L | 5.2 | 20 | 2.0 J | 0.94 J | 1.1 J | 1.3 J | 0.73 J | 0.75 J | 0.73 J | 0.76 J | 0.76 J | 0.70 J | 0.71 J | 0.78 J | 0.73 J | 0.89 J | | | | |
| Zinc | μg/L | 320 | 370 | 160 | 46 | 38 | 34 | 29 | 25 | 23 | 29 | 22 | 21 | 22 | 21 | 20 | 20 U | | | | 5000 |
| Aluminum | mg/L | 0.066 | 0.065 | 0.085 | 0.085 | 0.076 | 0.084 | 0.079 | 0.079 | 0.080 | 0.080 | 0.089 | 0.084 | 0.080 | 0.076 | 0.077 | 0.076 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 37 | 35 | 37 | 37 | 36 | 37 | 36 | 37 | 37 | 36 | 38 | 37 | 36 | 36 | 36 | 36 | | - | | |
| Iron | mg/L | 0.066 J | 0.10 U | 0.021 J | 0.10 U | 0.043 J | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | | | | 0.3 |
| Magnesium | mg/L | 13 J- | 12 J- | 13 J- | 13 J- | 12 J- | 12 J- | 13 J- | 13 J- | 13 J- | 12 J- | 13 J- | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 12 | 11 | 11 | 11 | 11 | 11 | | | | |
| Tin | mg/L | 0.0016 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0020 U | 0.020 U | 0.020 U | 0.020 U | 0.0021 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | • | | | Not | Sampled | | | | • | | | | 0.14 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | | | | | | | | 40.5 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data

Site 3071 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | Yo | our Results | - After Exc | avation or | 11/18/20 | 16 | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|------------------|
| | | S01 Faucet | S02 Under Sink | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | 512 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 0.03 J | 0.08 J | 0.08 J | 0.03 J | 0.20 U | 0.02 J | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.02 J | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 5 | | 5 | |
| Chromium | μg/L | 0.84 U | 0.88 U | 0.88 U | 0.79 U | 0.78 U | 0.83 U | 0.80 U | 0.79 U | 0.86 U | 0.85 U | 0.87 U | 0.83 U | 0.82 U | 0.94 U | 0.86 U | 0.86 U | 100 | | 100 | |
| Copper | μg/L | 31 | 34.5 | 16.3 | 11.7 | 4.4 | 4.2 | 4.2 | 4.5 | 3.8 | 3.4 | 3.5 | 3.4 | 3.8 | 3.6 | 3.3 | 2.7 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 7.0 | 6.0 | 6.5 | 10.8 | 7.7 | 7.4 | 8.3 | 10.6 | 16.1 | 17.4 | 17.3 | 15.6 | 12.2 | 8.0 | 6.6 | 4.4 | | 15 | 0 | |
| Manganese | μg/L | 3.3 | 1.4 | 2.8 | 2.0 | 1.2 | 0.82 J | 0.83 J | 0.68 J | 0.63 J | 0.67 J | 0.73 J | 0.70 J | 0.74 J | 0.84 J | 0.89 J | 0.64 J | | | | 50 |
| Nickel | μg/L | 2.4 | 4.9 | 1.1 | 1.0 | 0.71 | 0.69 | 0.71 | 0.71 | 0.72 | 0.68 | 0.70 | 0.68 | 0.69 | 0.70 | 0.71 | 0.68 | | | | |
| Tin | μg/L | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 0.08 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | | | | |
| Zinc | μg/L | 135 | 235 | 132 | 54.8 | 40.2 | 38.9 | 33.6 | 27.4 | 24.0 | 22.0 | 22.0 | 20.5 | 20.3 | 23.1 | 20.4 | 12.6 | | | | 5000 |
| Aluminum | mg/L | 0.0630 | 0.0496 | 0.0706 | 0.0761 | 0.0538 | 0.0522 | 0.0511 | 0.0509 | 0.0500 | 0.0495 | 0.0492 | 0.0483 | 0.0463 | 0.046 | 0.0451 | 0.0407 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35.8 | 36.7 | 37.2 | 36.9 | 38.3 | 37.5 | 38.5 | 37.3 | 37.9 | 37.1 | 38.2 | 37.2 | 37.6 | 37.2 | 37.5 | 37.2 | | | | |
| Iron | mg/L | 0.0673 U | 0.0198 U | 0.0352 U | 0.101 | 0.073 U | 0.0284 U | 0.0288 U | 0.0264 U | 0.0211 U | 0.100 U | 0.0202 U | 0.0200 U | 0.0223 U | 0.0214 U | 0.100 U | 0.100 U | | | | 0.3 |
| Magnesium | mg/L | 12.3 | 12.1 | 12.4 | 12.2 | 12.4 | 12.1 | 12.4 | 12.1 | 12.4 | 12.1 | 12.4 | 12.1 | 12.3 | 12.1 | 12.2 | 12.2 | | | | |
| Potassium | mg/L | 1.59 | 1.65 | 1.70 | 1.65 | 1.65 | 1.66 | 1.70 | 1.61 | 1.72 | 1.63 | 1.66 | 1.65 | 1.74 | 1.64 | 1.66 | 1.67 | | | | |
| Sodium | mg/L | 11.1 | 11.4 | 11.4 | 11.3 | 11.5 | 11.4 | 11.6 | 11.3 | 11.6 | 11.3 | 11.6 | 11.3 | 11.4 | 11.3 | 11.6 | 11.5 | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 104 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 17.0 | | | | 250 |
| Fluoride | mg/L | | | • | | • | • | Not | Sampled | • | • | • | | | • | | 0.130 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | · | | <u> </u> | <u> </u> | Not | Sampled | · | · | <u> </u> | <u> </u> | | <u> </u> | | 30.0 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.177 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3074 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Befo | re Excavat | ion on 10/ | 15/2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------------|-------------|------------|--------------|-------------|
| | | S01 | S02 | 503 | S04 | \$05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | \$16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Level (MCL) | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | | | (MCLG) | |
| | | | | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | | | | | |
| Cadmium | μg/L | 2.0 U | 2.0 ∪ | 0.86 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 ∪ | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 1.9 U | 1.9 U | 2.5 U | 1.9 U | 1.9 U | 1.7 U | 2.0 U | 1.9 U | 1.7 U | 1.5 U | 1.7 U | 1.7 U | 1.8 U | 1.9 U | 2.7 U | 2.0 U | 1.7 U | 1.8 U | 1.9 U | 100 | | 100 | |
| Copper | μg/L | 42 | 29 | 7.7 U | 4.7 U | 4.1 U | 3.8 U | 4.0 U | 3.7 U | 3.4 U | 3.2 U | 3.1 U | 3.4 U | 3.1 U | 3.3 U | 3.8 U | 3.1 U | 5.4 U | 2.9 U | 3.9 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.2 J | 1.5 J | 2.5 | 1.5 J | 1.6 J | 1.6 J | 1.6 J | 1.5 J | 1.5 J | 1.6 J | 1.9 J | 4.3 | 5.3 | 5.2 | 1.7 J | 1.6 J | 2.0 | 1.5 J | 1.5 J | l - | 15 | 0 | - 1 |
| Lead (Duplicate) | μg/L | 0.99 | 1.30 | 1.49 | 1.44 | 1.46 | 1.44 | 1.40 | 1.34 | 1.38 | 1.51 | 1.92 | 3.90 | 5.52 | 4.75 | 1.88 | 1.51 | 1.43 | 1.38 | 1.33 | | 15 | 0 | |
| Manganese | μg/L | 0.93 U | 0.83 U | 1.7 U | 1.0 U | 1.6 U | 1.1 U | 1.0 U | 0.96 U | 1.0 U | 1.8 U | 3.4 U | 4.5 | 5.4 | 7.9 | 0.96 U | 0.76 U | 0.96 U | 0.68 U | 0.71 U | | | | 50 |
| Nickel | μg/L | 1.8 U | 0.83 U | 1.4 U | 0.62 U | 0.62 U | 0.59 U | 0.61 U | 0.63 U | 0.60 U | 0.55 U | 0.55 U | 0.63 U | 0.60 U | 0.64 U | 0.64 U | 0.70 U | 1.5 U | 0.61 U | 0.63 U | | | | |
| Zinc | μg/L | 280 | 72 | 17 J | 13 J | 8.6 J | 9.6 J | 8.4 J | 8.9 J | 7.0 J | 6.7 J | 6.5 J | 6.1 J | 7.4 J | 5.7 J | 5.9 J | 5.8 J | 8.6 J | 6.1 J | 7.8 J | | | | 5000 |
| Aluminum | mg/L | 0.080 J- | 0.090 J- | 0.094 J- | 0.095 J- | 0.093 J- | 0.10 J- | 0.092 J- | 0.10 J- | 0.096 J- | 0.093 J- | 0.097 J- | 0.10 J- | 0.10 J- | 0.12 J- | 0.086 J- | 0.092 J- | 0.086 J- | 0.092 J- | 0.090 J- | | | - | 0.05 to 0.2 |
| Calcium | mg/L | 38 J | 36 J | 37 J | 37 J | 37 J | 38 J | 37 J | 40 J | 38 J | 36 J | 35 J | 38 J | 37 J | 38 J | 34 J | 35 J | 34 J | 36 J | 36 J | - | | | |
| Iron | mg/L | 0.021 U | 0.022 U | 0.024 U | 0.021 U | 0.14 | 0.025 U | 0.022 U | 0.024 U | 0.018 U | 0.025 U | 0.055 U | 0.060 U | 0.066 U | 0.11 | 0.021 U | 0.017 U | 0.016 U | 0.016 U | 0.10 U | - | | - | 0.3 |
| Magnesium | mg/L | 13 J+ | 13 J+ | 13 J+ | 13 J+ | 13 J+ | 13 J+ | 13 J+ | 14 J+ | 13 J+ | 13 J+ | 12 J+ | 14 J+ | 13 J+ | 13 J+ | 12 J+ | 13 J+ | 12 J+ | 13 J+ | 13 J+ | - | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 | 1.7 | 1.7 | 1.8 | 1.7 | 1.6 | 1.6 | 1.7 | 1.6 | 1.7 | 1.5 | 1.5 | 1.5 | 1.6 | 1.6 | - | | | - |
| Sodium | mg/L | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 13 J+ | 12 J+ | 12 J+ | 11 J+ | 12 J+ | 12 J+ | 12 J+ | 11 J+ | 12 J+ | 11 J+ | 12 J+ | 12 J+ | | | - | |
| Tin | mg/L | 0.0022 U | 0.0019 U | 0.0019 U | 0.020 U | 0.020 U | 0.020 U | 0.0019 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0017 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | pled | | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 3.0 | - | | _ | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 0.14 U | 4 | _ | 4 | 2 |
| Sulfate as SO4 | mg/L | | • | | | | | | | Not Sam | pled | | | | | | | | | 32.3 J | - | | _ | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 0.050 U | | _ | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(1+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3074 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Yo | ur Results - / | After Excava | ion on 12/2 | 0/2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|------------|----------------------|-------------|
| | | 501 | S02 | S03 | S04 | S05 | S06 | S07 | 508 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | 8.8 | | Maximum | 44004 |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Maximum | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 5 | | 5 | |
| Chromium | μg/L | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 100 | | 100 | |
| Copper | μg/L | 74.7 | 72.7 | 31.1 | 8.98 | 7.84 | 5.92 | 4.24 | 3.97 | 3.57 | 3.66 | 3.32 | 3.51 | 3.02 | 3.05 | 2.91 | 2.85 | 2.97 | 2.84 | 3.01 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.56 | 1.87 | 2.58 | 2.07 | 1.68 | 1.57 | 1.35 | 1.77 | 2.63 | 3.15 | 3.85 | 4.66 | 3.70 | 2.00 | 1.19 | 1.00 | 0.95 | 0.95 | 0.87 | | 15 | 0 | - |
| Zinc | μg/L | 331 | 70.6 | 29.8 | 21.3 | 21.1 | 26.8 | 15.0 | 13.4 | 11.9 | 12.2 | 10.0 U | 10.0 U | | | | 5000 |
| Manganese | μg/L | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | | | | 50 |
| Nickel | μg/L | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | | | | |
| Aluminum | mg/L | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35.7 | 35.8 | 36.9 | 37.5 | 37.2 | 35.9 | 35.1 | 35.4 | 35.0 | 35.6 | 35.7 | 35.5 | 35.2 | 35.6 | 35.8 | 35.3 | 34.6 | 35.6 | 35.2 | | | | |
| Iron | mg/L | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | | | | 0.3 |
| Magnesium | mg/L | 12.3 | 12.0 | 12.4 | 12.5 | 12.5 | 12.4 | 12.0 | 12.1 | 11.9 | 12.2 | 12.2 | 12.1 | 12.1 | 12.2 | 12.3 | 12.1 | 11.9 | 12.2 | 12.1 | | | | |
| Potassium | mg/L | 1.62 | 1.67 | 1.74 | 1.73 | 1.72 | 1.65 | 1.62 | 1.63 | 1.65 | 1.65 | 1.64 | 1.64 | 1.62 | 1.64 | 1.65 | 1.62 | 1.63 | 1.65 | 1.63 | | | | |
| Sodium | mg/L | 10.9 | 10.9 | 11.4 | 11.3 | 11.3 | 11.0 | 10.8 | 10.8 | 10.8 | 11.0 | 10.8 | 10.8 | 10.7 | 10.9 | 11.0 | 10.8 | 10.8 | 11.0 | 10.8 | | | | |
| Tin | mg/L | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | | | | ļ |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | | mpled | | | | | | | | | 110 | | | | |
| Chloride | mg/L | | | | | | | | | | mpled | | | | | | | | | 17.7 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | | mpled | | | | | | | | | 0.09 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | | mpled | | | | | | | | | 30.7 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sa | mpled | | | | | | | | | 0.15 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3075 — Bathroom Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Befo | re Excavat | on on 10/1 | 13/2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|------------|----------------------|---|
| | | 501 | 502 | S03 | 504 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | 513 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | 9.6 | | Maximum | *************************************** |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Maximum | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | - | 5 | |
| Chromium | μg/L | 3.1 U | 3.6 U | 3.8 U | 3.0 U | 3.1 U | 3.6 U | 3.5 U | 2.6 U | 4.2 | 4.2 | 4.3 | 4.4 | 5.0 | 4.7 | 5.1 | 6.3 | 3.8 U | 4.1 | 3.5 U | 100 | | 100 | |
| Copper | μg/L | 6.9 U | 2.3 U | 13 | 9.7 U | 5.3 U | 4.1 U | 4.0 U | 3.9 U | 3.8 U | 3.2 U | 3.2 U | 2.7 U | 3.1 U | 2.9 U | 2.8 U | 9.1 U | 2.4 U | 2.1 U | 2.0 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 12 | 12 | 87 | 74 | 36 | 41 | 53 | 48 | 56 | 48 | 45 | 42 | 43 | 32 | 24 | 23 | 18 | 17 | 9.4 | | 15 | 0 | |
| Manganese | μg/L | 3.9 J | 2.9 J | 15 | 12 | 4.2 | 3.6 J | 3.4 J | 4.9 | 3.5 J | 3.0 J | 3.1 J | 3.0 J | 3.4 J | 3.2 J | 2.7 J | 4.1 | 2.0 J | 2.0 J | 1.5 J | - | | _ | 50 |
| Nickel | μg/L | 7.9 | 3.3 U | 3.5 U | 2.7 U | 2.8 U | 2.3 U | 5.8 | 4.3 | 3.5 U | 4.1 | 33 | 3.0 U | 3.0 U | 2.8 U | 2.8 U | 4.2 | 2.3 U | 2.2 U | 2.0 U | - | | | - |
| Zinc | μg/L | 380 | 210 | 240 | 190 | 69 | 43 | 42 | 40 | 50 | 35 | 120 | 28.0 | 31 | 34 | 28 | 27 | 21 | 20 | 9.1 J | - | | | 5000 |
| Aluminum | mg/L | 0.069 | 0.080 | 0.20 | 0.17 | 0.12 | 0.11 | 0.11 | 0.11 | 0.12 | 0.11 | 0.11 | 0.11 | 0.12 | 0.12 | 0.11 | 0.10 | 0.10 | 0.10 | 0.15 | | - | | 0.05 to 0.2 |
| Calcium | mg/L | 35 | 35 | 35 | 34 | 35 | 35 | 34 | 35 | 38 | 34 | 35 | 36 | 38 | 37 | 38 | 35 | 35 | 35 | 36 | _ | - | | - |
| Iron | mg/L | 0.058 J | 0.093 J | 0.80 | 0.59 | 0.30 | 0.12 | 0.12 | 0.14 | 0.20 | 0.12 | 0.10 | 0.11 | 0.098 J | 0.092 J | 0.068 J | 0.064 J | 0.054 J | 0.052 J | 0.065 J | | | _ | 0.3 |
| Magnesium | mg/L | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 13 | 12 | 12 | 12 | 13 | 13 | 13 | 12 | 12 | 12 | 12 | | | | |
| Potassium | mg/L | 1.6 | 1.5 | 1.5 | 1.5 | 1.5 | 1.6 | 1.5 | 1.6 | 1.7 | 1.5 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.5 | 1.5 | 1.6 | 1.7 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 12 | 11 | 11 | 11 | 12 | 12 | 12 | 11 | 11 | 11 | 11 | | | | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0068 J | | | - | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | oled | | | | | | | | | 110 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 1.0 J | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.17 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | • | | | | | | Not Sam | oled | | • | | • | • | • | • | | 32.3 J | | - | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.050 U | | - | | - |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3075 — Bathroom Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your | Results - Af | ter Excavat | ion on 12/9 | /2016 | | | | | | | | | Compariso | n Standards | |
|------------------|-------|------------------------|-------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|--|
| | | S01 Faucet | S02 Under Sink | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | A Contract of Cont |
| Parameter | Units | 1st sample (125 mL) | | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 0.09 J | 0.11 J | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 5 | | 5 | - |
| Chromium | μg/L | 0.32 U | 0.29 U | 0.31 U | 0.32 U | 0.31 U | 0.34 U | 0.32 U | 0.33 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 0.37 U | 0.34 U | 0.36 U | 0.38 U | 0.33 U | 0.30 U | 100 | | 100 | |
| Copper | μg/L | 8.8 | 1.7 | 4.7 | 2.2 | 2.1 | 2.1 | 1.5 | 1.5 | 1.3 | 1.3 | 1.1 | 1.1 | 0.96 U | 7.5 | 0.9 U | 0.88 U | 0.91 U | 0.87 U | 0.81 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 13.4 | 15.3 | 19.8 | 14.4 | 14.4 | 18.7 | 22.2 | 21.7 | 18.6 | 14.5 | 12.3 | 11.1 | 9.4 | 7.3 | 5.5 | 5.2 | 5.2 | 5.0 | 4.5 | | 1.5 | 0 | |
| Manganese | μg/L | 4.7 | 2.4 | 1.1 | 0.53 J | 0.42 J | 0.46 J | 0.48 J | 0.64 J | 0.61 J | 0.66 J | 0.79 J | 0.78 J | 0.88 J | 1.0 J | 1.0 | 1.0 | 1.1 | 0.99 J | 1.0 | | | | 50 |
| Nickel | μg/L | 24.9 | 2.0 | 13.0 | 3.2 | 2.2 | 2.0 | 2.2 | 3.3 | 1.2 | 1.1 | 0.93 | 1.1 | 1.0 | 1.1 | 0.89 | 1.0 | 0.84 | 0.78 | 0.68 | | | | - |
| Tin | μg/L | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 0.14 J | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.2 | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | | | | |
| Zinc | μg/L | 633 J+ | 294 J+ | 87.8 J+ | 34.4 J+ | 25.8 J+ | 21.3 J+ | 17.2 J+ | 17.2 J+ | 14.0 J+ | 12.4 J+ | 11.7 J+ | 11.5 J+ | 11.2 J+ | 11.3 J+ | 10.7 J+ | 10.7 J+ | 10.8 J+ | 9.5 J+ | 7.0 J+ | | | | 5000 |
| Aluminum | mg/L | 0.0452 | 0.0589 | 0.0708 | 0.0604 | 0.0599 | 0.0547 | 0.0485 | 0.0486 | 0.0419 | 0.0377 | 0.0392 | 0.0390 | 0.0404 | 0.0441 | 0.0490 | 0.0469 | 0.0460 | 0.0476 | 0.0446 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 34.8 | 34.3 | 34.7 | 35.4 | 34.8 | 35.6 | 35.1 | 35.6 | 35.7 | 35.3 | 35.5 | 35.1 | 35.3 | 34.7 | 35.3 | 35.1 | 35.5 | 35.3 | 35.6 | | | | |
| Iron | mg/L | 0.0354 J | 0.141 | 0.112 | 0.0269 J | 0.0252 J | 0.0142 J | 0.0155 J | 0.0264 J | 0.0317 J | 0.100 U | 0.0217 J | 0.0298 J | 0.0293 J | 0.0220 J | 0.0153 J | 0.0385 J | 0.0458 J | 0.0155 J | 0.0252 J | | | | 0.3 |
| Magnesium | mg/L | 12.0 | 11.8 | 11.9 | 12.1 | 12.0 | 12.2 | 12.0 | 12.2 | 12.3 | 12.1 | 12.2 | 12.0 | 12.2 | 12.1 | 12.3 | 12.2 | 12.3 | 12.3 | 12.4 | | | | |
| Potassium | mg/L | 1.59 | 1.59 | 1.61 | 1.64 | 1.60 | 1.61 | 1.61 | 1.60 | 1.61 | 1.64 | 1.59 | 1.60 | 1.63 | 1.63 | 1.62 | 1.62 | 1.60 | 1.66 | 1.64 | | | | |
| Sodium | mg/L | 11.0 | 10.9 | 11.1 | 11.2 | 11.1 | 11.3 | 11.1 | 11.3 | 11.3 | 11.2 | 11.2 | 11.1 | 11.3 | 11.2 | 11.2 | 11.2 | 11.4 | 11.3 | 11.5 | | | | |
| Total Alkalinity | mg/L | | | | | | | | | Not Sam | <u> </u> | | | | | | | | | 106 | | | | _ |
| Chloride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 17.3 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | <u>'</u> | | | | | | | | | 0.102 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | <u> </u> | | | | | | | | | 26.4 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 0.202 | | | | - |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3088 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Befo | re Excavat | ion on 10/: | 17/2016 | | | | | | | | | Comparis | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|-------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | 507 | S08 | S09 | S10 | 511 | S12 | S13 | 514 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 2.3 U | 2.4 U | 2.6 U | 2.6 U | 2.7 U | 3.0 U | 3.2 J | 2.5 U | 2.7 U | 2.9 U | 2.9 U | 2.7 U | 2.8 U | 3.0 U | 3.0 U | 3.1 U | 4.2 U | 3.0 U | 1.7 U | 100 | | 100 | |
| Copper | μg/L | 100 | 220 | 270 | 81 | 43 | 22 | 11 | 6.4 U | 6.2 U | 5.7 U | 6.7 U | 7.8 U | 5.4 U | 4.8 U | 4.8 U | 4.5 U | 4.6 U | 4.3 U | 4.3 U | - | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.8 | 2.3 | 2.6 | 3.1 | 3.6 | 4.8 | 6.5 | 6.5 | 6.8 | 7.8 | 9.8 | 16 | 26 | 25 | 11 | 5.2 | 4.3 | 3.3 | 2.8 | | 15 | 0 | |
| Lead (Duplicate) | μg/L | 2.54 | 2.09 | 2.33 | 2.76 | 3.03 | 4.15 | 5.73 | 6.09 | 6.44 | 6.91 | 8.43 | 15.6 | 24.4 | 24.4 | 10.4 | 4.87 | 3.94 | 2.88 | 2.32 | | 15 | 0 | |
| Manganese | μg/L | 1.1 J | 0.92 J | 0.95 J | 0.92 | 1.0 J | 1.1 J | 1.3 J | 1.1 j | 0.98 J | 1.3 J | 1.9 J | 1.3 J | 1.2 J | 1.2 J | 1.2 J | 1.1 J | 1.1 J | 1.1 j | 0.93 J | - | - | | 50 |
| Nickel | μg/L | 4.0 | 1.3 U | 0.98 U | 0.97 U | 1.2 U | 1.0 U | 1.0 U | 0.69 U | 0.73 U | 0.87 U | 0.97 U | 0.95 U | 0.92 U | 0.86 U | 0.81 U | 0.79 U | 0.73 U | 0.72 U | 0.94 U | | | | |
| Zinc | μg/L | 150 | 33 | 27 | 27 | 43 | 30 | 53 | 43 | 34 | 44 | 41 | 17 J | 14 J | 12 J | 12 J | 12 J | 11 J | 9.5 J | 8.3 J | | - | | 5000 |
| Aluminum | mg/L | 0.059 | 0.066 | 0.054 | 0.086 | 0.094 | 0.091 | 0.089 | 0.083 | 0.083 | 0.085 | 0.088 | 0.080 | 0.095 | 0.088 | 0.085 | 0.082 | 0.082 | 0.086 | 0.092 | - | - | | 0.05 to 0.2 |
| Calcium | mg/L | 35 | 35 | 35 | 39 | 38 | 37 | 37 | 36 | 36 | 38 | 38 | 35 | 39 | 36 | 35 | 36 | 36 | 36 | 39 | | _ | | |
| Iron | mg/L | 0.10 U | 0.081 J | 0.10 U | 0.032 J | 0.020 J | 0.022 J | 0.029 J | 0.021 J | 0.023 J | 0.031 J | 0.091 J | 0.034 J | 0.025 J | 0.10 U | 0.017 J | | | | 0.3 |
| Magnesium | mg/L | 12 | 12 | 13 | 13 | 13 | 12 | 13 | 12 | 12 | 13 | 13 | 12 | 13 | 12 | 12 | 12 | 12 | 12 | 13 | | | | |
| Potassium | mg/L | 1.6 | 1.7 | 1.6 | 1.8 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.7 | 1.7 | 1.5 | 1.8 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.8 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 12 | 12 | 11 | 12 | 11 | 11 | 12 | 12 | 11 | 12 | 11 | 11 | 11 | 11 | 11 | 12 | | | | |
| Tin | mg/L | 0.0023 J | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Samp | | | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | | | Not Samp | oled | | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Samp | | | | | | | | | | 0.15 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Samp | | | | | | | | | | 40.5 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Samp | oled | | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3088 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your R | esults - Afl | er Excavat | ion on 12/ | 8/2016 | | | | | | | | | Comparis | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|------------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, | | | | |
| D | 11.12. | Faucet | Under Sink | | | | | | | | | | | | | | | | | DS03 | Maximum | | Maximum | |
| Parameter | Units | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 5 | | 5 | |
| Chromium | μg/L | 0.46 U | 0.46 U | 0.40 U | 0.36 U | 0.43 U | 0.46 U | 0.37 U | 0.44 U | 0.43 U | 0.42 U | 0.44 U | 0.48 U | 0.38 U | 0.36 U | 0.38 U | 0.42 U | 0.38 U | 0.34 U | 0.38 U | 100 | · | 100 | |
| Copper | μg/L | 44.4 | 54.8 | 27.9 | 15.5 | 13.9 | 20.8 | 7.1 | 6.0 | 6.6 | 3.9 | 6.1 | 6.3 | 3.7 | 4.2 | 3.4 | 3.6 | 3.3 | 3.0 | 2.6 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 3.5 | 2.9 | 2.7 | 3.3 | 3.0 | 3.8 | 3.6 | 3.7 | 4.0 | 5.4 | 8.6 | 18.6 | 24.4 | 18.6 | 6.0 | 2.5 | 2.1 | 1.8 | 1.4 | | 15 | 0 | |
| Manganese | μg/L | 0.89 U | 0.24 U | 0.22 U | 0.41 U | 0.41 U | 0.62 U | 0.40 U | 0.43 U | 0.72 U | 0.98 U | 6.1 | 0.60 U | 0.40 U | 0.55 U | 0.93 U | 1.1 | 1.1 | 0.95 U | 0.88 U | | | | 50 |
| Nickel | μg/L | 2.5 | 0.78 | 1.1 | 0.78 | 0.68 | 0.74 | 0.56 | 0.58 | 0.58 | 0.57 | 0.58 | 0.58 | 0.60 | 0.65 | 0.65 | 0.7 | 0.64 | 2.0 | 0.53 | | | | |
| Zinc | μg/L | 205 J+ | 36.4 J+ | 29.1 J+ | 28.5 J+ | 19.8 J+ | 32.9 J+ | 70.2 J+ | 53.6 J+ | 52.8 J+ | 57.2 J+ | 36.5 J+ | 14.2 J+ | 11.1 J+ | 12.2 J+ | 10.1 J+ | 10.8 J+ | 9.9 J+ | 10.1 J+ | 6.6 J+ | | | | 5000 |
| Aluminum | mg/L | 0.0548 | 0.0565 | 0.0648 | 0.0649 | 0.0539 | 0.0549 | 0.0526 | 0.0485 | 0.0466 | 0.0443 | 0.0459 | 0.0468 | 0.0454 | 0.0505 | 0.0495 | 0.0483 | 0.0447 | 0.0450 | 0.0406 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 36.2 | 36.5 | 37.2 | 36.9 | 36.2 | 36.2 | 36.4 | 36.2 | 35.6 | 36.2 | 36.6 | 36.3 | 35.7 | 36.4 | 35.8 | 36.9 | 36.9 | 36.9 | 35.5 | | | | |
| Iron | mg/L | 0.100 U | 0.121 | 0.100 U | 0.0673 J | 0.127 | 0.0398 J | 0.100 U | 0.0383 J | 0.0260 J | 0.0186 J | 0.100 U | 0.100 U | 0.0180 J | | | _ | 0.3 |
| Magnesium | mg/L | 12.4 | 12.4 | 12.5 | 12.5 | 12.4 | 12.4 | 12.6 | 12.6 | 12.3 | 12.5 | 12.6 | 12.5 | 12.3 | 12.5 | 12.4 | 12.7 | 12.7 | 12.7 | 12.2 | | | | |
| Potassium | mg/L | 1.73 | 1.78 | 1.83 | 1.80 | 1.76 | 1.73 | 1.75 | 1.74 | 1.72 | 1.72 | 1.76 | 1.74 | 1.73 | 1.75 | 1.74 | 1.79 | 1.80 | 1.78 | 1.72 | | | | |
| Sodium | mg/L | 11.8 | 11.8 | 12.0 | 12.1 | 11.9 | 11.8 | 11.9 | 11.8 | 11.7 | 11.8 | 11.9 | 11.8 | 11.6 | 11.8 | 11.7 | 12.0 | 12.0 | 12.0 | 11.5 | | | - | |
| Tin | mg/L | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | | | | | | | | | | 104 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 16.5 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 0.118 | 4 | | <u> 4</u> | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 26.0 | | | ļ | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.200 | | | - | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3113 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ur Results | Before Ex | cavation o | n 10/14/20 |)16 | | | | | | *************************************** | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|---|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Maximum | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 0.55 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 0.69 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 1.6 U | 1.8 U | 1.6 U | 2.0 U | 1.8 U | 1.9 U | 1.8 U | 2.2 U | 2.0 U | 1.9 U | 1.8 U | 1.6 U | 1.7 U | 1.9 U | 1.9 U | 1.8 U | 100 | | 100 | |
| Copper | μg/L | 7.6 U | 3.5 U | 2.5 U | 2.3 U | 2.2 U | 3.6 U | 2.6 U | 3.0 U | 2.9 U | 2.3 U | 2.4 U | 2.2 U | 3.0 U | 2.0 U | 1.9 U | 1.8 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 3.5 | 4.0 | 1.5 J | 1.5 J | 2.9 | 2.7 | 2.1 | 2.1 | 3.0 | 2.0 | 5.5 | 5.0 | 1.4 J | 1.1 J | 0.98 J | 0.84 J | | 15 | 0 | |
| Manganese | μg/L | 2.2 J | 5.7 | 3.2 J | 1.8 J | 2.6 J | 1.9 J | 1.7 J | 2.1 J | 1.9 J | 1.6 J | 1.4 J | 1.1 J | 1.1 J | 1.2 J | 1.1 J | 1.1 J | | | | 50 |
| Nickel | μg/L | 1.8 U | 0.86 U | 0.70 U | 0.76 U | 0.71 U | 0.80 U | 0.73 U | 1.1 U | 1.0 U | 0.87 U | 0.83 U | 0.74 U | 22 | 0.77 U | 0.74 U | 0.70 U | | | | |
| Zinc | μg/L | 190 | 220 | 150 | 42 | 32 | 28 | 28 | 30 | 29 | 26 | 22 | 20 | 110 | 20 U | 18 J | 14 J | | | | 5000 |
| Aluminum | mg/L | 0.10 | 0.083 | 0.098 | 0.13 | 0.15 | 0.11 | 0.11 | 0.11 | 0.11 | 0.10 | 0.10 | 0.10 | 0.095 | 0.098 | 0.098 | 0.092 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35 J- | 36 J- | 38 J- | 36 J- | 37 J- | 36 J- | 37 J- | 39 J- | 37 J- | 35 J- | 35 J- | 38 J- | 36 J- | 36 J- | 38 J- | 35 J- | | | | |
| Iron | mg/L | 0.11 | 0.29 | 0.10 | 0.10 | 0.21 | 0.11 | 0.10 | 0.12 | 0.096 U | 0.071 U | 0.065 U | 0.050 U | 0.033 U | 0.034 U | 0.039 U | 0.036 U | | | | 0.3 |
| Magnesium | mg/L | 13 | 12 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 12 | 12 | 13 | 13 | 13 | 13 | 12 | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.8 | 1.8 | 1.5 | 1.6 | 1.7 | 1.6 | 1.6 | 1.7 | 1.6 | | | | |
| Sodium | mg/L | 11 | 11 | 12 | 11 | 11 | 11 | 12 | 12 | 12 | 11 | 11 | 12 | 11 | 12 | 12 | 11 | | | | |
| Tin | mg/L | 0.0022 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0018 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 1.0 J | | | | 250 |
| Fluoride | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.16 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | • | | | | | Not | Sampled | | | | | | | | 32.3 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3206 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Bef | ore Excava | tion on 10/ | 6/2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------------|---------------------|------------|--------------|-------------|
| | | 501 | S02 | S03 | 504 | S05 | 506 | S07 | S08 | S09 | S10 | S11 | 512 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Level (MCL) | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | Property (188 popul | | (MCLG) | |
| | | (TZ3 (IIL) | (123 IIIL) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | | | | | |
| Cadmium | μg/L | 2.0 U | 2.0 U | 0.58 J | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 3.1 U | 3.2 U | 3.4 U | 3.3 U | 3.3 U | 3.3 U | 3.2 U | 3.1 U | 3.1 U | 3.2 U | 3.2 U | 3.1 U | 3.1 U | 3.1 U | 3.3 U | 3.3 U | 3.3 U | 3.3 U | 2.2 U | 100 | | 100 | - |
| Copper | μg/L | 40 | 5.8 U | 7.7 U | 8.2 U | 6.6 U | 18 | 7.7 U | 4.3 U | 4.9 U | 4.0 U | 3.8 U | 3.4 U | 3.3 U | 3.4 J | 3.3 U | 3.2 U | 3.1 J | 3.1 U | 1.5 U | - | 1300 | 1300 | 1000 |
| Lead | μg/L | 7.5 | 1.8 J | 21 | 36 | 29 | 23 | 15 | 15 | 14 | 12 | 17 | 15 | 9.6 | 8.2 | 8.3 | 8.1 | 6.9 | 6.5 | 2.6 | - | 15 | 0 | |
| Manganese | μg/L | 7.3 | 4.5 | 14 | 26 | 19 | 13 | 8.8 | 10 | 9.5 | 7.6 | 6.6 | 6.7 | 5.9 | 5.3 | 6.8 | 5.2 | 4.5 | 4.1 | 1.6 J | | | | 50 |
| Nickel | μg/L | 2.8 U | 2.0 U | 2.0 U | 2.0 U | 1.8 U | 1.8 U | 1.7 U | 1.7 U | 1.8 U | 1.7 U | 1.8 U | 1.7 U | 1.7 U | 1.7 U | 1.8 U | 1.8 U | 1.8 U | 1.7 U | 0.94 U | | | | |
| Zinc | μg/L | 550 B | 220 B | 150 B | 120 B | 140 B | 68 B | 46 B | 65 B | 65 B | 36 B | 36 B | 50 B | 42 B | 29 B | 48 B | 72 B | 57 B | 45 B | 11 U | | | _ | 5000 |
| Aluminum | mg/L | 0.11 | 0.087 | 0.18 | 0.19 | 0.17 | 0.14 | 0.12 | 0.14 | 0.15 | 0.12 | 0.12 | 0.12 | 0.14 | 0.13 | 0.13 | 0.13 | 0.13 | 0.12 | 0.12 | | - | _ | 0.05 to 0.2 |
| Calcium | mg/L | 36 J | 36 J | 37 J | 37 J | 36 J | 35 J | 34 J | 37 J | 38 J | 36 J | 38 J | 38 J | 36 J | 37 J | 37 J | 37 J | 37 J | 35 J | 36 J | | | | |
| lron | mg/L | 0.15 J+ | 0.24 J+ | 0.36 J+ | 0.37 J+ | 0.26 J+ | 0.27 J+ | 0.15 J+ | 0.18 J+ | 0.16 J+ | 0.11 J+ | 0.099 U | 0.089 U | 0.083 U | 0.018 U | 0.11 J+ | 0.062 U | 0.057 U | 0.048 U | 0.032 U | | - | | 0.3 |
| Magnesium | mg/L | 13 J | 12 J | 13 J | 13 J | 12 J | 12 J | 12 J | 13 J | 13 | 12 J | 13 J | 13 J | 13 J | 13 J | 13 J | 13 J | 13 J | 12 J | 12 J | | - | - | - |
| Potassium | mg/L | 1.7 | 1.6 | 1.7 | 1.7 | 1.7 | 1.6 | 1.5 | 1.7 | 1.7 | 1.6 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | - | - | | |
| Sodium | mg/L | 11 J+ | 11 J+ | 12 J+ | 12 J+ | 11 J+ | 11 J+ | 11 J+ | 12 J | 12 J | 11 J | 12 J | 12 J | 12 J | 12 J | 12 J | 12 J | 12 J | 11 J | 11 J | | | | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0037 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | · | | | | | | Not Sam | pled | · | | | | | | · | | 110 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 1.0 J | | - | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 0.50 U | 4 | - | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 23.9 J | _ | | | 250 |
| Total Phosphorus | mg/L | | · | · | | | | | · | Not Sam | pled | · | | | · | | | · | | 0.0077 J | | - | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3206 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your F | Results - Aft | er Excavatio | on on 10/18 | /2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|------------|----------------------|-------------|
| | | 501 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | \$10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.5 | 2.0 U | 0.67 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 0.60 U | 1.3 U | 2.0 U | 2.0 U | 5 | - | 5 | - |
| Chromium | μg/L | 5.0 | 3.1 U | 3.0 U | 3.0 U | 2.9 U | 3.1 U | 3.3 U | 3.0 U | 2.9 U | 3.3 U | 3.3 U | 2.8 U | 2.8 U | 3.1 U | 3.2 U | 3.5 U | 4.7 | 2.9 U | 3.2 U | 100 | | 100 | |
| Copper | μg/L | 33 | 69 | 18 | 5.2 J | 3.7 J | 4.2 J | 4.7 J | 6.9 J | 9.3 J | 5.8 J | 14 | 3.8 J | 3.8 J | 3.3 J | 3.4 J | 4.1 J | 4.7 J | 3.2 J | 35 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 4.1 | 1.5 U | 7.2 | 2.9 | 2.1 | 5.1 | 3.1 | 3.7 | 7.8 | 7.5 | 7.9 | 4.8 | 2.1 | 1.5 U | 1.5 U | 2.1 | 2.9 | 1.5 U | 2.3 | - | 15 | 0 | - |
| Manganese | μg/L | 3.4 J | 0.68 U | 1.9 J | 0.82 U | 0.82 U | 1.7 J | 1.4 J | 1.7 J | 2.9 J | 1.6 J | 0.71 U | 0.79 U | 1.0 J | 1.9 J | 0.99 U | 1.9 J | 2.7 J | 1.6 J | 0.98 U | | | | 50 |
| Nickel | μg/L | 6.9 | 2.6 U | 2.4 U | 1.8 U | 1.7 U | 1.7 U | 1.9 U | 1.7 U | 1.8 U | 1.8 U | 1.8 U | 1.7 U | 1.7 U | 1.7 U | 1.8 U | 2.3 U | 3.1 U | 1.8 U | 1.9 U | | | | |
| Zinc | μg/L | 80 | 31 | 20 U | 17 J | 19 J | 18 J | 17 J | 17 J | 19 J | 18 J | 17 J | 7.2 U | 7.4 U | 6.0 U | 5.9 U | 6.9 U | 8.1 U | 5.9 U | 24 | - | | | 5000 |
| Aluminum | mg/L | 0.11 | 0.17 | 0.13 | 0.15 | 0.13 | 0.17 | 0.13 | 0.15 | 0.14 | 0.13 | 0.14 | 0.13 | 0.12 | 0.10 | 0.11 | 0.11 | 0.14 | 0.13 | 0.11 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 40 | 49 | 35 | 43 | 38 | 47 | 43 | 49 | 46 | 42 | 44 | 44 | 42 | 39 | 41 | 41 | 52 | 44 | 40 | | | | |
| Iron | mg/L | 0.037 U | 0.039 U | 0.12 | 0.075 U | 0.039 U | 0.15 | 0.083 U | 0.082 U | 0.17 | 0.10 | 0.039 U | 0.037 U | 0.030 U | 0.028 U | 0.028 U | 0.026 U | 0.036 U | 0.026 U | 0.026 U | | | | 0.3 |
| Magnesium | mg/L | 13 | 16 | 11 | 14 | 12 | 15 | 14 | 16 | 16 | 14 | 15 | 15 | 14 | 13 | 14 | 14 | 17 | 15 | 14 | | | | |
| Potassium | mg/L | 1.7 | 2.1 | 1.6 | 1.9 | 1.7 | 2.1 | 1.9 | 2.1 | 2.0 | 1.8 | 1.9 | 1.9 | 1.8 | 1.7 | 1.8 | 1.8 | 2.2 | 1.9 | 1.7 | | | | |
| Sodium | mg/L | 12 | 15 | 10 | 12 | 11 | 14 | 13 | 15 | 14 | 13 | 13 | 13 | 12 | 11 | 12 | 12 | 15 | 13 | 12 | | | | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | <u> </u> | | | | | | | | | 130 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | <u> </u> | | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | • | | | | | | | | | 0.15 J | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 32.3 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

U = Not detected above the listed reporting limit

J = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3224 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | Your Resul | ts - Before I | xcavation o | n 9/28/201 | .6 | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------------|-------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | 512 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample | 4th sample | 5th sample | 6th sample | 7th sample | 8th sample | 9th sample | 10th sample | 11th sample | 12th sample | 13th sample | 14th sample | 15th sample | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| | | · | | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | | | | | |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 ∪ | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | - |
| Chromium | μg/L | 2.5 U | 2.6 U | 2.6 U | 2.6 U | 2.7 ∪ | 2.6 U | 2.6 U | 2.6 U | 2.9 U | 3.1 U | 2.9 U | 2.5 U | 2.5 U | 2.4 U | 2.4 U | 2.4 U | 100 | | 100 | |
| Copper | μg/L | 10 | 1.6 J | 4.9 J | 1.6 J | 2.0 J | 2.0 J | 1.8 J | 2.6 J | 1.8 J | 3.4 J | 2.3 J | 1.9 J | 10 ∪ | 10 U | 1.5 J | 10 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 5.4 | 5.7 | 6.6 | 5.8 | 5.6 | 7.3 | 23 | 34 | 27 | 25 | 19 | 17 | 7.8 | 5.3 | 5.0 | 3.7 | | 15 | 0 | |
| Lead (Duplicate) | μg/L | 4.25 | 4.62 | 4.87 | 4.56 | 4.32 | 6.11 | 19.6 | 28.6 | 23.0 | 20.2 | 15.9 | 14.5 | 6.31 | 4.28 | 4.07 | 3.02 | | 15 | 0 | |
| Manganese | μg/L | 4.5 | 5.3 | 1.4 J | 1.3 J | 0.99 J | 1.7 J | 2.2 J | 0.97 J | 1.6 J | 2.2 J | 1.3 J | 1.1 J | 1.2 J | 1.3 J | 1.3 J | 1.4 J | | | | 50 |
| Nickel | μg/L | 5.6 | 1.6 J | 4.8 | 1.8 J | 1.8 J | 2.0 J | 1.7 J | 2.8 J | 2.5 J | 3.5 J | 1.9 J | 2.1 J | 1.7 J | 1.6 J | 1.8 J | 1.6 J | | - | | |
| Zinc | μg/L | 160 | 120 | 37 | 25 | 27 | 120 | 94 | 29 | 21 | 22 | 18 J | 19 J | 16 J | 17 J | 18 J | 11 J | | | | 5000 |
| Aluminum | mg/L | 0.070 | 0.095 | 0.087 | 0.089 | 0.088 | 0.088 | 0.085 | 0.088 | 0.086 | 0.089 | 0.088 | 0.090 | 0.075 | 0.071 | 0.069 | 0.064 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35 J | 35 J | 35 J | 36 J | 35 J | 35 J | 35 J | 35 J | 34 J | 35 J | 35 J | 36 J | 34 J | 35 J | 35 J | 35 J | | | | |
| Iron | mg/L | 0.24 | 0.26 | 0.053 J | 0.046 J | 0.033 J | 0.041 J | 0.043 J | 0.039 J | 0.029 J | 0.021 J | 0.022 J | 0.022 J | 0.020 J | 0.020 J | 0.025 J | 0.10 U | | | | 0.3 |
| Magnesium | mg/L | 14 | 14 | 14 | 14 | 14 | 14 | 13 | 14 | 13 | 14 | 14 | 14 | 13 | 14 | 14 | 14 | | | | |
| Potassium | mg/L | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.4 | 1.5 | 1.5 | 1.5 | 1.4 | 1.5 | 1.5 | 1.5 | | | - | |
| Sodium | mg/L | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 11 J+ | 12 J+ | 12 J+ | 12 J+ | 11 J+ | 12 J+ | 12 J+ | 12 J+ | | | | |
| Tin | mg/L | 0.0041 J | 0.0023 J | 0.020 U | 0.020 U | 0.0027 J | 0.020 U | 0.020 U | 0.0025 J | 0.0018 J | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | N | ot Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | N | ot Sampled | | | | | | | | 3.0 | | _ | | 250 |
| Fluoride | mg/L | | | | | | | N | ot Sampled | | | | | | | | 0.50 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | N | ot Sampled | | | | | | | | 48.8 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | N | ot Sampled | | | | | | | | 0.050 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

U = Not detected above the listed reporting limit

J = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3224 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ır Results - / | \fter Excava | ition on 10/ | 10/2016 | | | | | | | Annual Contraction of the Contra | Comparis | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|--|------------|----------------------|--|
| | | S01 | 502 | 503 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | 513 | S14 | S15 | DS01, DS02, DS03 | | | Maximum | The state of the s |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Maximum Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Level (IMCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 4.1 U | 3.2 U | 7.7 U | 3.5 U | 4.2 U | 3.1 U | 4.7 U | 3.6 U | 3.6 U | 5.3 U | 3.9 U | 3.5 U | 3.4 U | 3.6 U | 4.9 U | 3.7 U | 100 | | 100 | |
| Copper | μg/L | 2.0 J | 10 U | 4.3 J | 3.1 J | 2.4 J | 2.4 J | 1.8 J | 1.5 J | 10 U | 1.9 J | 10 U | 10 U | 10 U | 10 U | 10 U | 10 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 3.9 | 4.0 | 25 | 35 | 27 | 25 | 32 | 39 | 31 | 22 | 19 | 12 | 5.3 | 4.4 | 4.0 | 3.3 | | 15 | 0 | |
| Manganese | μg/L | 5.7 | 2.3 J | 4.1 | 4.4 | 3.5 J | 2.7 J | 2.1 J | 1.7 J | 1.5 J | 1.5 J | 1.9 J | 1.2 J | 1.1 | 1.2 J | 2.0 J | 1.2 J | | | | 50 |
| Nickel | μg/L | 2.2 U | 1.7 U | 3.4 U | 2.0 U | 2.2 U | 1.8 U | 2.7 U | 2.1 U | 2.0 U | 2.7 U | 2.3 U | 2.0 U | 2.0 U | 2.1 U | 2.6 U | 2.4 U | | | | |
| Zinc | μg/L | 140 J+ | 67 J+ | 110 J+ | 130 J+ | 90 J+ | 140 J+ | 100 J+ | 42 J+ | 34 J+ | 33 J+ | 23 J+ | 21 J+ | 21 J+ | 19 U | 27 J+ | 14 U | | - | - | 5000 |
| Aluminum | mg/L | 0.078 J | 0.079 J- | 0.11 J- | 0.13 J- | 0.11 J- | 0.11 J- | 0.094 J- | 0.098 J- | 0.10 J- | 0.092 J- | 0.095 J- | 0.092 J- | 0.092 J- | 0.092 J- | 0.092 J- | 0.091 J | | - | | 0.05 to 0.2 |
| Calcium | mg/L | 34 J | 34 J | 35 J | 35 J | 35 J | 36 | 33 J | 36 J | 35 J | 34 J | 36 J | 34 J | 36 J | 35 J | 34 J | 33 J | | | | |
| lron | mg/L | 0.68 J- | 0.13 J | 0.38 J | 0.50 J- | 0.38 J- | 0.30 J | 0.14 J- | 0.13 J- | 0.094 U | 0.055 U | 0.12 J- | 0.036 U | 0.026 U | 0.026 U | 0.085 U | 0.029 J | | | | 0.3 |
| Magnesium | mg/L | 12 J | 12 J | 12 J | 12 J | 12 J | 13 J | 12 J | 12 J | 12 J | 12 J | 12 J | 12 J | 13 J | 12 J | 12 J | 12 J | | | | |
| Potassium | mg/L | 1.6 | 1.5 | 1.6 | 1.6 | 1.6 | 1.7 | 1.5 | 1.60 | 1.6 | 1.8 | 1.7 | 1.6 | 1.6 | 1.6 | 1.5 | 1.5 | | | | |
| Sodium | mg/L | 11 J+ | 11 J+ | 12 J+ | 11 J+ | 11 J+ | 12 J+ | 11 J+ | 12 J+ | 12 J+ | 11 J+ | 12 J+ | 11 J+ | 12 J+ | 11 J+ | 11 J+ | 11 J+ | | | | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | - | - | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not Sa | ımpled | | | | | | | | 120 | | - | - | |
| Chloride | mg/L | | | | | | | Not Sa | ımpled | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | Not Sa | ımpled | | | | | | | | 0.17 J | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not Sa | ımpled | | | | | | | | 40.5 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not Sa | ımpled | | | | | | | | 0.050 U | | | - | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

U = Not detected above the listed reporting limit

J = Estimated

J+ = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

J = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3226 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ır Results | Before Ex | cavation o | n 10/17/20 | 16 | | | | | | | Comparis | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|-------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | 504 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 3.2 U | 3.1 U | 2.9 U | 3.0 U | 3.2 U | 3.1 U | 3.2 U | 3.3 U | 3.2 U | 3.2 U | 3.1 U | 3.1 U | 100 | | 100 | |
| Copper | μg/L | 13 J | 1.8 J | 1.7 J | 1.5 J | 1.9 J | 1.5 J | 10 U | 10 U | 10 U | 10 U | 10 U | 10 U | 10 U | 10 U | 1.9 J | 10 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 6.7 J+ | 4.2 J+ | 3.8 J+ | 4.5 J+ | 4.3 J+ | 5.3 J+ | 5.7 J+ | 5.6 J+ | 5.3 J+ | 5.1 J+ | 5.3 J+ | 5.6 J+ | 4.4 J+ | 4.6 J+ | 3.7 J+ | 2.6 J+ | | 15 | 0 | |
| Lead (Duplicate) | μg/L | 5.68 | 3.80 | 3.42 | 4.02 | 4.11 | 4.83 | 5.22 | 5.03 | 4.84 | 4.83 | 4.81 | 4.88 | 4.51 | 3.99 | 3.47 | 2.37 | | 15 | 0 | |
| Manganese | μg/L | 5.2 J | 5.4 J | 1.6 J | 1.1 J | 1.0 J | 0.75 J | 0.63 J | 0.68 J | 0.58 J | 4.0 U | 0.56 J | 0.85 J | 0.57 J | 1.2 J | 0.62 J | 0.75 J | | | | 50 |
| Nickel | μg/L | 6.0 J | 1.9 U | 2.3 U | 1.8 U | 1.8 U | 1.8 U | 1.7 U | 1.7 U | 1.7 U | 1.6 U | 1.7 U | 2.0 U | 1.7 U | 2.1 U | 1.7 U | 1.7 U | | | | |
| Zinc | μg/L | 110 J | 62 J | 37 J | 25 J | 46 J | 76 J | 48 J | 28 J | 19 J | 17 J | 16 J | 17 J | 15 J | 18 J | 15 J | 12 J | | | | 5000 |
| Aluminum | mg/L | 0.088 J | 0.082 J | 0.078 J | 0.12 J | 0.074 J | 0.080 J | 0.076 J | 0.077 J | 0.079 J | 0.091 J | 0.092 J | 0.095 J | 0.088 J | 0.093 J | 0.090 | 0.089 J | | | | 0.05 to 0.2 |
| Calcium | mg/L | 38 | 35 | 36 | 36 | 34 | 36 | 36 | 37 | 36 | 37 | 37 | 38 | 34 | 37 | 36 | 37 | | | | |
| Iron | mg/L | 0.31 J- | 0.41 J- | 0.044 J- | 0.080 J- | 0.082 J- | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.025 J- | 0.020 J- | 0.019 J- | 0.017 J- | 0.017 J- | 0.017 J- | 0.058 J- | | | | 0.3 |
| Magnesium | mg/L | 13 J- | 12 J- | 12 J- | 12 J- | 12 J- | 12 J- | 12 J- | 13 J- | 13 J- | 12 J- | 12 J- | 13 J- | 12 J- | 13 J- | 12 J- | 13 J- | | | | |
| Potassium | mg/L | 1.7 J- | 1.6 J- | 1.6 J- | 1.6 J- | 1.5 J- | 1.6 J- | 1.6 J- | 1.6 J- | 1.6 J- | 1.7 J- | 1.7 J- | 1.7 J- | 1.5 J- | 1.6 J- | 1.6 J- | 1.6 J- | | | | |
| Sodium | mg/L | 12 | 11 | 11 | 11 | 10 | 11 | 11 | 11 | 11 | 11 | 11 | 12 | 11 | 11 | 11 | 12 | | | | |
| Tin | mg/L | 0.0022 J+ | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | | Sampled | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | | Sampled | | | | | | | | 0.15 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | Sampled | | | | | | | | 40.5 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data

Site 3226 -- Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | Your Resul | ts - After Ex | cavation on | 12/17/2016 | | | | | | | | Compariso | on Standards | |
|------------------|------------|-----------------------------|---------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|------------------|
| | | S01 | S02 | 503 | 504 | S05 | S06 | S07 | S08 | S09 | S10 | 511 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet 1st sample (125 mL) | Under Sink 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 5 | | 5 | |
| Chromium | μg/L | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 100 | | 100 | |
| Copper | μg/L | 29.2 | 10.7 | 5.25 | 1.04 | 1.00 U | 1.00 U | 1.00 U | 1.00 U | 1.00 U | 1.00 U | 1.00 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 4.33 | 3.23 | 2.12 | 1.42 | 1.43 | 1.68 | 1.56 | 1.72 | 1.77 | 1.70 | 1.79 | 1.60 | 1.64 | 1.57 | 1.44 | 1.10 | | 15 | 0 | |
| Zinc | μg/L | 246 | 83.8 | 37.4 | 15.1 | 14.2 | 18.9 | 21.9 | 15.1 | 12.1 | 11.5 | 11.0 | 10.0 U | 10.0 U | 11.1 | 10.0 U | 10.0 U | | | | 5000 |
| Manganese | μg/L | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | | | | 50 |
| Nickel | μg/L | 42.1 | 14.6 | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | | | | |
| Aluminum | mg/L | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | | | | 0.05 to 0.2 |
| Calcium | mg/L | 33.4 | 35.0 | 35.1 | 34.2 | 34.1 | 33.9 | 33.6 | 33.2 | 34.4 | 33.9 | 34.5 | 34.0 | 33.9 | 33.6 | 33.7 | 34.2 | | _ | | |
| Iron | mg/L | 0.0831 K | 0.105 K | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | | | | 0.3 |
| Magnesium | mg/L | 12.3 | 11.9 | 12.1 | 11.8 | 11.8 | 11.7 | 11.6 | 11.5 | 12.1 | 11.8 | 11.9 | 11.8 | 11.7 | 11.6 | 11.7 | 11.9 | | | | |
| Potassium | mg/L | 1.69 | 1.59 | 1.61 | 1.58 | 1.58 | 1.56 | 1.55 | 1.51 | 1.63 | 1.57 | 1.59 | 1.55 | 1.56 | 1.54 | 1.52 | 1.57 | | | | |
| Sodium | mg/L | 10.4 | 10.3 | 10.5 | 10.3 | 10.2 | 10.2 | 10.1 | 9.95 | 10.4 | 10.2 | 10.4 | 10.1 | 10.2 | 10.2 | 10.1 | 10.1 | | | | |
| Tin | mg/L | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | N | ot Sampled | | | | | | | | 110 | | | | |
| Chloride | mg/L | | | | | | | N | ot Sampled | | | | | | | | 16.5 | | | | 250 |
| Fluoride | mg/L | | | | | | | | ot Sampled | | | | | | | | 0.09 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | N | ot Sampled | | | | | | | | 24.4 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | N | ot Sampled | | | | | | | | 0.34 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3282 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ır Results | Before Ex | cavation o | n 10/15/20 | 16 | | | | | | | Compariso | on Standards | |
|------------------|--------------|------------------------|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|------------------------|-------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | \$10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample | 4th sample | 5th sample | 6th sample | 7th sample | 8th sample | 9th sample | 10th sample | 11th sample | 12th sample | 13th sample | 14th sample | 15th sample | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | 110/1 | 2.0 U | 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | (1 liter) 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L μg/L | 2.5 U | 2.0 U | 2.0 U | 2.5 U | 2.0 U | 2.0 U | 2.5 U | 2.4 U | 2.4 U | 2.0 U | 2.0 U | 2.0 U | 2.3 U | 2.0 U | 2.0 U | 2.0 U | 100 | | 100 | |
| Copper | μg/L μg/L | 32 | 3.7 J- | 9.7 J- | 4.0 J- | 2.4 U | 3.8 J- | 3.5 J- | 3.2 J- | 6.9 J- | 6.7 J- | 2.3 J | 1.5 J- | 1.6 J- | 10 U | 10 U | 10 U | 100 | 1300 | 1300 | 1000 |
| Lead | μg/L μg/L | 3.0 | 1.9 J | 10 | 9.4 | 5.3 | 5.8 | 9.2 | 8.5 | 8.6 | 6.7 | 4.2 | 2.6 | 2.0 J | 1.8 J | 1.7 J | 1.4 J | | 15 | 0 | 1000 |
| Lead (Duplicate) | μg/L | 2.41 | 1.53 | 9.10 | 7.61 | 5.66 | 4.93 | 7.86 | 9.11 | 7.57 | 6.17 | 3.89 | 2.21 | 1.74 | 1.63 | 1.60 | 1.24 | | 15 | 0 | |
| Manganese | μg/L | 0.63 U | 4.0 U | 8.0 | 7.6 | 3.8 J | 3.7 J | 6.9 | 6.5 | 6.0 | 4.3 | 2.4 J | 1.3 J | 1.2 J | 1.1 J | 1.1 J | 0.97 U | | | | 50 |
| Nickel | μg/L | 12 | 0.78 J | 4.6 | 1.1 J | 0.73 J | 0.76 J | 0.83 J | 0.80 J | 1.2 J | 0.84 J | 0.72 J | 0.83 J | 0.89 J | 0.74 J | 0.75 J | 0.70 J | | | | |
| Zinc | μg/L | 590 | 300 | 130 | 37 | 20 | 30 | 34 | 88 | 36 | 170 | 41 | 6.8 J | 7.2 J | 7.2 J | 6.1 J | 20 U | | | | 5000 |
| Aluminum | mg/L | 0.081 J- | 0.083 J- | 0.14 J- | 0.12 J- | 0.097 J- | 0.11 J- | 0.12 J- | 0.11 J- | 0.12 J- | 0.11 J- | 0.096 J- | 0.093 J- | 0.096 J- | 0.093 J- | 0.090 J- | 0.090 J- | | | —— | 0.05 to 0.2 |
| Calcium | mg/L | 35 J- | 36 J- | 36 J- | 37 J- | 34 J- | 37 J- | 37 J- | 35 J- | 36 J- | 36 J- | 35 J- | 36 J- | 37 J- | 36 J- | 35 J- | 35 J- | | | | |
| Iron | mg/L | 0.10 U | 0.10 U | 0.060 J- | 0.048 J- | 0.027 J- | 0.028 J- | 0.041 J- | 0.039 J- | 0.043 J- | 0.032 J- | 0.018 J- | 0.017 J- | 0.10 U | 0.10 U | 0.10 U | 0.10 U | | | | 0.3 |
| Magnesium | mg/L | 12 J- | 12 J- | 12 J- | 13 J- | 12 J- | 13 J- | 13 J- | 12 J- | 13 J- | 12 J- | 12 J- | 12 J- | 13 J- | 12 J- | 12 J- | 12 J- | | | | |
| Potassium | mg/L | 1.6 J⁻ | 1.6 J- | 1.6 J- | 1.6 J- | 1.5 J- | 1.6 J- | 1.6 J- | 1.5 J- | 1.6 J⁻ | 1.6 J- | 1.5 J- | 1.6 J- | | | | |
| Sodium | mg/L | 11 J- | 11 J- | 11 J- | 11 J- | 11 J- | 12 J- | 12 J- | 11 J- | 12 J- | 11 J- | 11 J- | 11 J- | 12 J- | 11 J- | 11 J- | 11 J- | | | | |
| Tin | mg/L | 0.0021 J | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | | Sampled | | | | | | | | 0.17 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | | | | | | | | 40.5 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data

Site 3282 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | Yo | ur Results | - After Exc | avation or | 11/29/20 | 16 | | | | | | | Compariso | n Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|------------------|
| | | S01 Faucet | S02 Under Sink | \$03 | 504 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 5 | | 5 | |
| Chromium | μg/L | 0.43 J | 0.39 J | 0.39 J | 0.38 J | 0.36 J | 0.39 J | 0.39 J | 0.41 J | 0.37 J | 0.39 J | 0.38 J | 0.43 J | 0.38 J | 0.39 J | 0.42 J | 0.38 J | 100 | | 100 | |
| Copper | μg/L | 12.9 | 2.8 | 2.0 | 1.7 | 1.4 | 1.5 | 1.5 | 1.2 | 1.2 | 1.1 | 1.1 | 1.0 | 1.1 | 1.0 | 0.97 J | 0.88 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.3 | 2.4 | 2.6 | 2.7 | 2.7 | 3.6 | 3.5 | 3.4 | 3.4 | 3.2 | 2.6 | 1.9 | 1.3 | 1.2 | 1.1 | 0.90 J | | 15 | 0 | |
| Manganese | μg/L | 0.82 U | 0.60 ป | 0.66 U | 0.37 U | 0.54 U | 0.68 U | 0.47 U | 0.49 U | 0.63 U | 0.81 U | 0.90 U | 1.3 | 0.93 J | 2.2 | 0.78 U | 0.67 U | | | | 50 |
| Nickel | μg/L | 1.2 | 0.58 | 0.51 | 0.69 | 0.50 J | 0.50 J | 0.50 J | 0.48 J | 0.51 | 0.52 | 0.49 J | 0.54 | 0.51 | 0.51 | 0.49 J | 0.49 J | | | | |
| Tin | μg/L | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 0.52 J | | | | |
| Zinc | μg/L | 243 | 334 | 29.1 | 13.9 | 13.1 | 10.6 | 8.7 | 8.1 | 7.9 | 7.4 | 7.0 | 7.3 | 6.6 | 6.5 | 6.1 | 5.2 | | | | 5000 |
| Aluminum | mg/L | 0.0460 | 0.0509 | 0.0581 | 0.0566 | 0.0561 | 0.0530 | 0.0475 | 0.0458 | 0.0469 | 0.0451 | 0.0443 | 0.0434 | 0.0409 | 0.0408 | 0.0412 | 0.0392 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 33.3 | 33.6 | 33.3 | 33.7 | 33.3 | 31.8 | 33.8 | 33.3 | 32.9 | 33.3 | 33.0 | 33.1 | 33.3 | 32.8 | 33.7 | 33.3 | | | | |
| Iron | mg/L | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | 0.1 U | | | | 0.3 |
| Magnesium | mg/L | 11.9 | 11.8 | 11.8 | 11.9 | 11.8 | 11.3 | 12.0 | 11.9 | 11.7 | 11.9 | 11.8 | 11.8 | 11.9 | 11.7 | 12.0 | 11.9 | | | | |
| Potassium | mg/L | 1.57 | 1.54 | 1.55 | 1.56 | 1.53 | 1.48 | 1.43 | 1.54 | 1.47 | 1.55 | 1.52 | 1.53 | 1.53 | 1.56 | 1.49 | 1.54 | | | | |
| Sodium | mg/L | 11.3 | 11.2 | 11.0 | 11.0 | 10.9 | 10.6 | 10.4 | 10.9 | 10.8 | 11.0 | 10.8 | 10.9 | 10.9 | 10.8 | 11.1 | 11.0 | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 104 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 16.4 | | | | 250 |
| Fluoride | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.098 J | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | | | | | | | | 26.9 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.247 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3300 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | r Results - | Before Ex | avation o | 10/8/201 | 6 | | | | | | *************************************** | Compariso | n Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|---|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 0.66 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | - | 5 | |
| Chromium | μg/L | 3.2 U | 3.2 U | 3.3 U | 3.3 U | 3.3 U | 3.2 U | 3.8 U | 3.3 U | 3.5 U | 4.3 | 3.1 U | 3.3 U | 3.3 U | 3.3 U | 3.3 U | 3.4 U | 100 | | 100 | |
| Copper | μg/L | 2.0 J | 10 U | 10 U | 9.4 J | 10 U | 10 U | 10 U | 1.7 J | 1.8 J | 2.4 J | 10 U | 10 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.0 U | 0.99 J | 0.99 J | 1.3 J | 0.88 J | 2.0 U | 2.0 U | 0.84 J | 1.1 J | 0.71 J | 0.71 J | 3.4 | 3.0 | 0.77 J | 1.1 J | 0.83 J | | 15 | 0 | |
| Manganese | μg/L | 0.76 J | 1.1 J | 0.92 J | 0.87 J | 0.81 J | 0.71 J | 0.65 J | 0.78 J | 1.1 J | 11 | 0.66 J | 0.90 J | 0.74 J | 0.76 J | 0.78 J | 1.1 J | | | | 50 |
| Nickel | μg/L | 1.9 U | 1.7 U | 1.8 U | 1.8 U | 1.8 U | 1.7 U | 1.8 U | 1.6 U | 2.0 U | 2.6 U | 1.6 U | 1.9 U | 1.6 U | 1.6 U | 1.7 U | 2.0 U | | | | |
| Zinc | μg/L | 59 | 100 | 55 | 62 | 18 J | 17 J | 13 J | 9.5 U | 11 J | 15 J | 12 J | 11 J | 8.7 U | 8.6 U | 9.9 U | 6.4 U | | | | 5000 |
| Aluminum | mg/L | 0.095 | 0.092 | 0.092 | 0.094 | 0.10 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.14 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 36 | 37 | 36 | 37 | 36 | 36 | 38 | 36 | 37 | 37 | 36 | 37 | 36 | 36 | 36 | 36 | | | | |
| Iron | mg/L | 0.024 J | 0.028 J | 0.024 J | 0.066 J | 0.12 | 0.023 J | 0.025 J | 0.038 J | 0.030 J | 0.77 | 0.025 J | 0.039 J | 0.023 J | 0.021 J | 0.028 J | 0.059 J | | | | 0.3 |
| Magnesium | mg/L | 13 | 13 | 13 | 13 | 12 | 13 | 13 | 12 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 12 | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | | | | |
| Sodium | mg/L | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 11 | | | | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not S | ampled | | | | | | | | 100 | | | | |
| Chloride | mg/L | | | | | | | Not S | ampled | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | · | · | | | | Not S | ampled | · | · | | · | · | · | | 0.15 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not S | ampled | | | | | | | | 23.9 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not S | ampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3300 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | Yc | our Results | - After Exc | avation on | 10/22/20 | 16 | | | | | | | Compariso | n Standards | |
|------------------|------------|------------------------|-------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|------------------|
| | | S01 Faucet | S02 Under Sink | S03 | 504 | S05 | S06 | S07 | S08 | S09 | S10 | 511 | S12 | \$13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | 1st sample (125 mL) | | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 0.60 U | 0.99 U | 0.70 U | 0.56 U | 0.59 U | 2.0 U | 0.54 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 2.5 U | 2.9 U | 3.1 U | 3.6 U | 7.9 | 3.5 U | 3.6 U | 3.5 U | 3.0 U | 2.6 U | 2.9 U | 3.4 U | 3.1 U | 3.0 U | 2.9 U | 3.1 U | 100 | | 100 | |
| Copper | μg/L | 2.9 U | 2.1 U | 2.0 U | 2.2 U | 2.4 U | 2.2 U | 2.5 U | 3.1 U | 2.5 U | 1.7 U | 1.6 U | 2.1 U | 1.7 U | 1.5 U | 10 U | 10 U1.5 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 0.91 J | 1.3 J | 1.2 J | 1.4 J | 1.2 J | 1.0 J | 1.1 J | 0.87 J | 0.97 J | 0.70 J | 0.89 J | 3.9 | 2.3 | 0.82 J | 2.0 U | 2.0 U | | 15 | 0 | |
| Manganese | μg/L | 0.84 J | 1.1 J | 0.97 J | 1.1 J | 1.3 J | 0.82 J | 1.2 J | 0.92 J | 0.90 J | 0.56 J | 0.75 J | 0.83 J | 0.65 J | 0.80 J | 0.62 J | 0.73 J | | | | 50 |
| Nickel | μg/L | 1.4 J | 1.1 J | 1.3 J | 1.3 J | 3.2 J | 1.2 J | 1.3 J | 0.92 J | 0.91 J | 0.72 J | 0.76 J | 1.1 J | 0.97 J | 0.76 J | 0.73 J | 0.84 J | | | | |
| Zinc | μg/L | 56 | 100 | 53 | 21 | 22 | 16 J | 14 J | 12 J | 14 J | 13 J | 12 J | 11 J | 9.5 J | 9.3 J | 8.7 J | 7.8 J | | | | 5000 |
| Aluminum | mg/L | 0.086 | 0.088 | 0.096 | 0.10 | 0.12 | 0.089 | 0.093 | 0.089 | 0.091 | 0.087 | 0.089 | 0.091 | 0.087 | 0.083 | 0.084 | 0.090 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 38 | 38 | 39 | 40 | 43 | 36 | 38 | 38 | 39 | 37 | 38 | 37 | 37 | 36 | 36 | 36 | | | | |
| Iron | mg/L | 0.10 U | 0.10 U | 0.10 U | 0.027 U | 0.025 U | 0.10 U | 0.10 U | 0.10 U | 0.024 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | 0.10 U | | | | 0.3 |
| Magnesium | mg/L | 13 | 13 | 13 | 13 | 14 | 12 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 12 | 12 | 12 | | | | |
| Potassium | mg/L | 1.7 | 1.8 | 1.9 | 1.9 | 2.1 | 1.7 | 1.8 | 1.8 | 1.8 | 1.7 | 1.8 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | | | | |
| Sodium | mg/L | 12 | 12 | 13 | 13 | 14 | 12 | 12 | 12 | 13 | 12 | 12 | 12 | 12 | 12 | 12 | 11 | | | | |
| Tin | mg/L | 0.0025 U | 0.0022 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0022 U | 0.0026 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | | Sampled | | | | | | | | 0.14 U | 4 | - | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | Sampled | | | | | | | | 40.5 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3301 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Befo | re Excavat | on on 10/1 | 19/2016 | | | | | | | | | Comparis | on Standards | |
|------------------|------------|------------|------------|--|-----------|-----------|------------------|--|-----------|--------------|------------|------------|-----------|------------------|--|-----------|------------------|-----------|------------------|---------------------|-------------|------------|--------------|-------------|
| | | S01 | 502 | S03 | 504 | S05 | S06 | S07 | S08 | S09 | S10 | 511 | S12 | S13 | 514 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Level (MCL) | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | | | (MCLG) | |
| | | | | (1 liter) | (1 liter) | (1 liter) | (1 liter) | | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | | | | | |
| Cadmium | μg/L | 2.0 U | 0.61 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 2.7 U | 2.4 U | 2.3 U | 3.0 U | 2.9 U | 3.1 U | 3.1 U | 2.7 U | 2.9 U | 3.1 U | 2.9 U | 2.4 U | 3.1 U | 3.6 U | 3.3 U | 4.0 U | 3.3 U | 3.5 U | 2.6 U | 100 | | 100 | |
| Copper | μg/L | 72 | 3.9 U | 3.3 U | 3.8 U | 4.2 U | 5.7 U | 2.9 U | 2.1 U | 2.4 U | 2.5 U | 2.1 U | 1.9 U | 2.2 U | 2.2 U | 1.8 U | 2.3 U | 1.7 U | 1.8 U | 2.2 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.4 | 2.0 J | 2.2 | 2.5 | 2.7 | 3.1 | 2.8 | 3.4 | 3.5 | 4.8 | 8.0 | 9.3 | 5.3 | 2.7 | 1.9 J | 2.5 | 1.8 J | 2.1 | 2.1 | _ | 15 | 0 | - |
| Lead (Duplicate) | μg/L | 1.63 | 1.62 | 2.12 | 2.14 | 2.27 | 2.50 | 2.70 | 3.01 | 3.09 | 4.04 | 6.95 | 7.67 | 3.83 | 1.75 | 1.50 | 1.47 | 1.46 | 1.63 | 1.58 | | 15 | 0 | |
| Manganese | μg/L | 5.1 | 3.1 U | 1.2 U | 1.1 U | 1.1 U | 1.1 U | 0.82 U | 0.89 U | 0.90 U | 0.86 U | 0.75 U | 0.72 U | 0.99 U | 1.2 U | 0.96 U | 1.2 U | 0.92 U | 1.1 U | 1.0 U | | | | 50 |
| Nickel | μg/L | 2.5 U | 0.61 U | 0.63 U | 0.58 U | 0.57 U | 0.67 U | 0.52 U | 0.60 U | 0.61 U | 0.69 U | 0.57 U | 0.57 U | 1.1 U | 0.95 U | 0.68 U | 0.91 U | 0.66 U | 0.72 U | 0.97 U | | | | |
| Zinc | μg/L | 140 | 110 | 45 | 30 | 30 | 26 | 17 J | 16 J | 16 J | 17 J | 13 J | 11 J | 12 J | 13 J | 10 J | 13 J | 9.7 J | 9.8 J | 7.3 J | | - | | 5000 |
| Aluminum | mg/L | 0.078 | 0.089 | 0.098 | 0.090 | 0.096 | 0.097 | 0.084 | 0.093 | 0.098 | 0.090 | 0.083 | 0.098 | 0.088 | 0.082 | 0.083 | 0.081 | 0.080 | 0.087 | 0.077 | - | | | 0.05 to 0.2 |
| Calcium | mg/L | 38 | 36 | 36 | 33 | 36 | 36 | 32 | 36 | 37 | 35 | 33 | 37 | 36 | 36 | 37 | 36 | 35 | 38 | 36 | | - | - | |
| Iron | mg/L | 0.032 U | 0.019 U | 0.030 U | 0.10 U | 0.020 U | 0.019 U | 0.10 U | 0.10 U | 0.061 U | 0.10 U | 0.017 U | 0.018 U | 0.10 U | 0.023 U | 0.021 U | 0.10 U | 0.017 U | 0.070 U | 0.10 U | | - | | 0.3 |
| Magnesium | mg/L | 13 | 12 | 12 | 11 | 12 | 12 | 11 | 12 | 13 | 12 | 11 | 13 | 12 | 13 | 13 | 12 | 12 | 13 | 12 | | | | |
| Potassium | mg/L | 1.6 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.4 | 1.5 | 1.6 | 1.5 | 1.4 | 1.6 | 1.5 | 1.5 | 1.6 | 1.5 | 1.5 | 1.6 | 1.5 | - | | - | |
| Sodium | mg/L | 11 | 11 | 11 | 10 | 11 | 11 | 9.8 | 11 | 11 | 11 | 10 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | | | |
| Tin | mg/L | 0.0017 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | - | - | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | pled | | | | | | | | | 130 J- | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 1.0 J | - | | - | 250 |
| Fluoride | mg/L | | · | , and the second | · | · | , and the second | , and the second | | Not Sam | pled | · | · | , and the second | , and the second | · | , and the second | · | , and the second | 0.14 U | 4 | - | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | · | · | | | | Not Sam | pled | · | · | | | · | | · | | 40.6 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.050 U | - | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3301 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Afte | er Excavati | on on 11/1 | 15/2016 | | | | | | | | | Comparis | on Standards | |
|------------------|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-------------|------------|--------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | 507 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, | | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | DS03 | Maximum | Action | Contaminant | Secondary |
| rarameter | Oilles | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Contaminant | Level (AL) | Level Goal | MICL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | Level (MCL) | | (MCLG) | |
| | | (123,111) | (442) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | 77000 | | | | |
| Cadmium | μg/L | 0.27 | 0.61 | 0.31 | 0.11 J | 0.12 J | 0.08 J | 0.07 J | 0.06 J | 0.06 J | 0.05 J | 0.04 J | 0.05 J | 0.04 J | 0.04 J | 0.03 J | 0.04 J | 0.03 J | 0.03 J | 0.03 J | 5 | | 5 | |
| Chromium | μg/L | 0.46 U | 0.51 U | 0.62 U | 0.55 U | 0.55 U | 0.57 U | 0.56 U | 0.58 U | 0.62 U | 0.58 U | 0.59 U | 0.58 U | 0.56 U | 0.58 U | 0.58 U | 0.58 U | 0.59 U | 0.57 U | 0.62 U | 100 | | 100 | |
| Copper | μg/L | 61.5 | 3.9 | 3.8 | 3.0 | 5.1 | 18.3 | 6.5 | 3.0 | 3.2 | 2.7 | 2.4 | 2.3 | 2.1 | 2.1 | 1.9 | 2.0 | 1.8 | 1.8 | 1.5 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.4 | 2.1 | 7.3 | 2.1 | 2.8 | 3.7 | 2.7 | 1.7 | 1.5 | 2.3 | 4.7 | 4.7 | 2.2 | 1.3 | 1.2 | 1.2 | 1.1 | 1.1 | 1.0 | | 15 | 0 | |
| Manganese | μg/L | 2.1 | 1.4 | 2.1 | 0.55 J | 0.79 J | 0.73 J | 0.47 J | 0.39 J | 0.51 J | 0.66 J | 0.41 J | 0.45 J | 0.47 J | 0.53 J | 0.56 J | 0.48 J | 0.49 J | 0.43 J | 0.61 J | | | | 50 |
| Nickel | μg/L | 4.3 | 0.78 | 0.72 | 0.66 | 0.70 | 0.84 | 0.68 | 0.62 | 0.65 | 0.68 | 0.61 | 0.73 | 0.60 | 0.96 | 0.66 | 0.85 | 0.62 | 0.60 | 0.62 | | | | |
| Zinc | μg/L | 127 | 137 | 150 | 25.8 | 25.6 | 23.4 | 16.6 | 13.3 | 15.1 | 13.8 | 10.8 | 9.3 | 8.9 | 8.9 | 8.8 | 8.5 | 8.0 | 8.0 | 6.9 | | | | 5000 |
| Aluminum | mg/L | 0.0424 | 0.0578 | 0.121 | 0.0619 | 0.0584 | 0.0617 | 0.0582 | 0.0543 | 0.0551 | 0.0551 | 0.0528 | 0.0500 | 0.0478 | 0.0455 | 0.0454 | 0.0446 | 0.0425 | 0.0425 | 0.0431 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 33.7 | 33.7 | 34.0 | 33.5 | 33.5 | 33.7 | 33.7 | 34.3 | 34.2 | 34.7 | 33.3 | 33.7 | 33.9 | 33.3 | 33.8 | 33.9 | 33.6 | 33.3 | 33.1 | | | | |
| Iron | mg/L | 0.0245 J | 0.0250 J | 0.103 | 0.0242 J | 0.0348 J | 0.0138 J | 0.0220 J | 0.0274 J | 0.0145 J | 0.0213 J | 0.0213 J | 0.100 U | 0.100 U | 0.0142 J | 0.100 U | 0.100 U | 0.0196 J | 0.0156 J | 0.100 U | | | | 0.3 |
| Magnesium | mg/L | 12.0 | 12.0 | 12.0 | 11.9 | 11.9 | 12.0 | 12.0 | 12.2 | 12.2 | 12.4 | 11.9 | 11.9 | 12.1 | 11.9 | 12.1 | 12.1 | 12.1 | 11.9 | 11.9 | | | | |
| Potassium | mg/L | 1.50 | 1.55 | 1.50 | 1.47 | 1.49 | 1.55 | 1.53 | 1.52 | 1.59 | 1.55 | 1.52 | 1.48 | 1.54 | 1.51 | 1.58 | 1.55 | 1.51 | 1.52 | 1.51 | | | | |
| Sodium | mg/L | 10.5 | 10.5 | 10.5 | 10.3 | 10.3 | 10.5 | 10.5 | 10.5 | 10.5 | 10.8 | 10.3 | 10.4 | 10.6 | 10.4 | 10.6 | 10.5 | 10.5 | 10.4 | 10.4 | | | | |
| Tin | mg/L | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.00009 J | 0.00018 J | 0.00008 J | 0.00008 J | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | | | - | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | oled | | | | | | | | | 102 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 16.8 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Samp | oled | | | | | | | | | 0.117 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 28.5 | | | | 250 |
| Total Phosphorus | mg/L | | · | | _ | | | | | Not Sam | oled | | | | | | | | | 0.187 | | | - | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3319 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | esults - Bef | ore Excava | tion on 10/ | 7/2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|-------------|------------|----------------------|--|
| | | S01 | 502 | S03 | S04 | 505 | S06 | S07 | 508 | S09 | S10 | S11 | 512 | 513 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | A CONTRACTOR OF THE PROPERTY O |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 1.1 U | 1.4 U | 2.0 U | 5 | | 5 | - |
| Chromium | μg/L | 3.4 U | 3.6 U | 3.3 U | 4.3 U | 3.9 U | 4.3 U | 4.5 U | 4.1 U | 4.4 U | 5.1 U | 5.2 U | 5.7 U | 4.8 U | 4.2 U | 4.2 U | 4.7 U | 5.0 U | 4.3 U | 4.3 U | 100 | 1 | 100 | <u> </u> |
| Copper | μg/L | 3.2 U | 2.0 U | 1.6 U | 2.5 U | 5.1 U | 6.1 U | 3.1 U | 2.1 U | 2.3 U | 2.6 U | 4.1 U | 4.5 U | 2.4 U | 1.8 U | 1.9 U | 1.8 U | 3.1 U | 1.6 U | 1.7 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.0 J | 1.9 J | 2.1 | 3.1 | 4.4 | 4.5 | 6.0 | 5.7 | 7.1 | 9.1 | 6.2 | 8.0 | 8.1 | 6.1 | 3.6 | 2.0 | 1.9 J | 1.5 J | 1.3 J | | 15 | 0 | <u> </u> |
| Manganese | μg/L | 2.4 U | 2.6 U | 2.5 U | 1.8 U | 2.3 U | 3.0 U | 3.9 U | 4.1 | 4.5 | 5.9 | 4.0 | 3.3 U | 1.4 U | 1.2 U | 1.5 U | 1.9 U | 1.7 U | 1.4 U | 1.4 U | | | | 50 |
| Nickel | μg/L | 1.7 U | 1.6 U | 1.1 U | 1.7 U | 1.5 U | 1.8 U | 2.0 U | 1.6 U | 1.9 U | 2.3 U | 3.3 U | 4.0 U | 2.0 U | 1.3 U | 1.5 U | 1.7 U | 2.1 U | 1.4 U | 1.5 U | | | - | - |
| Zinc | μg/L | 140 | 46 | 26 | 22 | 18 J | 20 | 32 | 30 | 29 | 31 | 20 | 19 J | 12 J | 11 J | 10 J | 11 J | 11 J | 9.4 U | 8.0 U | | | | 5000 |
| Aluminum | mg/L | 0.097 | 0.098 | 0.086 | 0.094 | 0.11 | 0.097 | 0.099 | 0.10 | 0.11 | 0.11 | 0.12 | 0.12 | 0.11 | 0.12 | 0.10 | 0.12 | 0.12 | 0.11 | 0.11 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35 | 36 | 34 | 37 | 44 | 39 | 39 | 39 | 43 | 40 | 46 | 45 | 40 | 43 | 36 | 40 | 40 | 37 | 38 | _ | | | |
| Iron | mg/L | 0.085 J | 0.24 | 0.093 J | 0.042 J | 0.083 ป | 0.075 J | 0.13 | 0.16 | 0.18 | 0.19 | 0.096 J | 0.047 U | 0.10 U | 0.10 U | 0.10 U | 0.020 U | 0.017 U | 0.10 U | 0.10 U | _ | | | 0.3 |
| Magnesium | mg/L | 12 | 12 | 12 | 13 | 15 | 14 | 14 | 14 | 15 | 14 | 16 | 16 | 14 | 15 | 12 | 14 | 14 | 13 | 13 | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.5 | 1.6 | 1.9 | 1.7 | 1.7 | 1.7 | 1.9 | 1.7 | 2.0 | 2.0 | 1.7 | 1.9 | 1.5 | 1.7 | 1.7 | 1.6 | 1.7 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 12 | 14 | 13 | 13 | 13 | 14 | 13 | 15 | 15 | 13 | 14 | 11 | 12 | 13 | 12 | 12 | | | | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | — | | - | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | oled | | | | | | | | | 120 | _ | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 0.16 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 40.5 J | | | _ | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.050 U | - | | | - |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3319 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your | Results - Af | ter Excavati | on on 10/20 | /2016 | | | | | | | | | Comparis | on Standards | ************************************** |
|------------------|-------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|--------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---|-------------|------------|--------------|--|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, | | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | DS03 | Maximum | Action | Contaminant | Secondary |
| rajunietei | Unic | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Contaminant | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | Level (MCL) | | (MCLG) | |
| | | | | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | *************************************** | | | | |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.2 | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | _ |
| Chromium | μg/L | 3.4 U | 3.8 U | 3.3 U | 3.9 U | 3.8 U | 3.8 U | 5.8 U | 3.7 U | 3.2 U | 3.6 U | 3.7 U | 3.7 U | 3.7 U | 3.7 U | 3.9 U | 3.7 U | 3.9 U | 4.0 U | 3.8 U | 100 | | 100 | |
| Copper | μg/L | 3.1 J | 2.0 J | 2.1 J | 2.7 J | 7.6 J | 6.3 J | 4.3 J | 1.9 J | 1.9 J | 1.9 J | 2.5 J | 1.9 J | 1.9 J | 2.2 J | 1.9 J | 2.1 J | 1.8 J | 1.7 J | 1.9 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.2 | 3.5 | 4.4 | 4.2 | 5.1 | 4.8 | 9.2 | 6.9 | 9.5 | 7.4 | 7.1 | 8.2 | 8.9 | 6.1 | 3.5 | 2.6 | 4.0 | 2.1 | 2.2 | | 15 | 0 | |
| Manganese | μg/L | 2.2 J | 2.7 J | 1.8 J | 1.7 J | 2.1 J | 2.4 J | 6.3 | 3.6 J | 4.5 | 3.3 J | 2.1 J | 1.1 j | 0.91 J | 1.2 J | 1.5 J | 2.1 J | 1.7 J | 1.7 J | 1.9 J | | - | | 50 |
| Nickel | μg/L | 2.1 U | 4.0 U | 1.9 U | 1.9 U | 2.0 U | 2.0 U | 4.0 | 2.0 U | 1.8 U | 1.9 U | 1.9 U | 1.9 U | 1.9 U | 2.2 U | 2.1 U | 2.3 U | 2.1 U | 2.1 U | 2.2 U | | | | |
| Zinc | μg/L | 160 | 58 | 27 | 18 J | 16 J | 21 | 34 | 30 | 26 | 21 | 18 J | 11 J | 13 J | 9.2 J | 9.0 J | 13 J | 8.6 J | 26 | 8.7 J | | | | 5000 |
| Aluminum | mg/L | 0.081 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.11 | 0.10 | 0.094 | 0.095 | 0.091 | 0.094 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 37 | 36 | 37 | 38 | 36 | 38 | 36 | 38 | 38 | 38 | 37 | 37 | 38 | 38 | 38 | 37 | 39 | 37 | 38 | | | | - |
| Iron | mg/L | 0.075 U | 0.12 | 0.12 | 0.076 U | 0.091 U | 0.10 | 0.26 | 0.17 | 0.23 | 0.13 | 0.068 U | 0.033 U | 0.028 U | 0.025 U | 0.028 U | 0.035 U | 0.029 U | 0.037 U | 0.073 U | | | | 0.3 |
| Magnesium | mg/L | 13 | 13 | 13 | 13 | 13 | 14 | 13 | 14 | 13 | 13 | 13 | 13 | 13 | 13 | 14 | 13 | 14 | 13 | 13 | | - | | - |
| Potassium | mg/L | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.5 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 11 | 11 | 12 | 11 | 12 | 12 | 12 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 11 | 11 | | - | | - |
| Tin | mg/L | 0.0022 U | 0.0025 U | 0.020 U | 0.020 U | 0.0023 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0016 U | 0.020 U | | | | |
| Total Alkalinity | mg/L | | | | | | | | | Not San | npled | | | | | | | | | 120 J+ | | | | _ |
| Chloride | mg/L | | | | | | | | | Not San | npled | | | | | | | | | 3.0 | - | | | 250 |
| Fluoride | mg/L | | | | | | · | | | Not San | npled | | | · | | | | | | 0.14 J | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | • | | | Not San | npled | | | • | | • | | | | 40.5 J | | - | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not San | npled | | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3332 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults Befo | re Excavatio | n on 10/10 | /2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|------------|----------------------|--|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | The second secon |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 0.82 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 0.57 U | 1.5 U | 5 | _ | 5 | - |
| Chromium | μg/L | 3.7 U | 3.3 U | 4.3 U | 3.7 U | 3.3 U | 3.3 U | 2.8 U | 3.2 U | 3.5 U | 3.2 U | 3.3 U | 4.0 U | 3.3 U | 4.6 U | 3.5 U | 6.1 U | 3.5 U | 5.5 U | 5.1 U | 100 | | 100 | |
| Copper | μg/L | 9.1 J | 1.5 J | 10 | 4.5 J | 2.5 J | 2.8 J | 2.6 J | 1.7 J | 2.0 J | 1.6 J | 1.7 J | 1.6 J | 1.4 J | 6.3 J | 4.7 J | 5.7 J | 3.1 J | 3.7 J | 2.6 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 15 | 8.6 | 62 | 81 | 30 | 26 | 21 | 15 | 17 | 13 J- | 13 J- | 11 J- | 9.2 J | 8.1 J- | 7.8 J- | 7.9 J- | 7.2 J- | 7.2 J- | 4.8 | | 15 | 0 | |
| Manganese | μg/L | 3.3 J | 2.5 J | 18 | 26 | 8.5 | 7.7 | 6.9 | 4.4 | 4.8 | 4.0 | 3.7 J | 3.5 J | 3.3 J | 3.2 J | 3.0 J | 3.4 J | 5.2 | 3.2 J | 3.7 J | | - | | 50 |
| Nickel | μg/L | 4.1 | 1.8 U | 2.6 U | 2.1 U | 1.9 U | 2.0 U | 1.9 U | 1.8 U | 2.0 U | 2.0 U | 1.9 U | 2.2 U | 1.9 U | 3.7 U | 2.8 U | 4.8 | 2.6 U | 3.3 U | 3.5 U | | | | - |
| Zinc | μg/L | 530 J+ | 330 J+ | 350 J+ | 190 J+ | 84 J+ | 160 J+ | 64 J+ | 61 J+ | 93 J+ | 45 J+ | 47 J+ | 46 J+ | 47 J+ | 48 J+ | 42 J+ | 44 J+ | 34 J+ | 47 J+ | 39 J+ | | - | | 5000 |
| Aluminum | mg/L | 0.085 J- | 0.082 J- | 0.23 J- | 0.19 J- | 0.12 J- | 0.13 J- | 0.10 J- | 0.10 J- | 0.11 J- | 0.099 J- | 0.10 J- | 0.10 J- | 0.10 J- | 0.10 J- | 0.094 J- | 0.095 J- | 0.096 J- | 0.094 J- | 0.094 J- | | | | 0.05 to 0.2 |
| Calcium | mg/L | 37 J | 38 J- | 37 J | 37 J | 35 J | 35 J | 34 J | 34 J | 35 J | 35 J | 36 J | 36 J | 37 J | 37 J | 35 J | 35 J | 35 J | 35 J | 36 J | | | | - |
| Iron | mg/L | 0.13 J- | 0.038 U | 0.31 J- | 0.33 J- | 0.11 j- | 0.13 J | 0.080 U | 0.069 U | 0.081 U | 0.061 U | 0.061 U | 0.058 U | 0.050 U | 0.050 U | 0.040 U | 0.056 U | 0.48 J | 0.045 U | 0.044 U | | | | 0.3 |
| Magnesium | mg/L | 13 J | 13 J | 13 J | 13 J | 12 J | 13 J | 13 J | 13 J | 13 J | 12 J | 12 J | 12 J | 12 J | 13 J | | | | |
| Potassium | mg/L | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 | 1.6 | 1.6 | 1.7 | 1.70 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | | | | - |
| Sodium | mg/L | 12 J+ | 12 J+ | 12 J | 12 J+ | 11 J+ | 12 J+ | 12 J+ | 12 J+ | 12 J+ | 11 J+ | 12 J+ | 11 J+ | 11 J+ | 12 J+ | | | | |
| Tin | mg/L | 0.0025 U | 0.020 U | 0.0023 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | - | | _ |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Samp | led | | | | | | | | | 120 | | - | | |
| Chloride | mg/L | | | | | | | | | Not Samp | led | | | | | | | | | 3.0 | | - | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Samp | led | | | | | | | | | 0.16 J | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Samp | led | | | · | | | | | | 23.9 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Samp | led | | | | | | | | | 0.050 U | | | | - |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

U = Not detected above the listed reporting limit

J = Estimated

J+ = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

J- = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3332 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | You | r Results - A | fter Excavat | on on 12/13 | /2016 | | | | | | | | | Compariso | on Standards | *************************************** |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|-------------|------------|----------------------|---|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | *************************************** |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 2 U | 5 | | 5 | |
| Chromium | μg/L | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 5 U | 100 | | 100 | |
| Copper | μg/L | 7.58 | 1.00 U | 3.82 | 1.90 | 1.15 | 1.09 | 1.00 U | 1.91 | 2.19 | 1.26 | 1.00 U | 1.00 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 3.56 | 5.45 | 5.28 | 4.08 | 3.53 | 3.32 | 3.20 | 3.30 | 3.28 | 3.17 | 3.47 | 3.00 | 2.48 | 1.84 | 1.72 | 1.65 | 1.65 | 1.86 | 1.35 | | 15 | 0 | |
| Zinc | μg/L | 359 | 381 | 147 | 39.8 | 39.3 | 28.3 | 23.9 | 28.1 | 27.8 | 22.6 | 21.3 | 18.8 | 18.8 | 18.5 | 18.0 | 17.3 | 17.8 | 29.7 | 11.8 | - | - | | 5000 |
| Manganese | μg/L | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | 8 U | | | | 50 |
| Nickel | μg/L | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | 12 U | | | | |
| Aluminum | mg/L | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | 0.200 U | | | _ | 0.05 to 0.2 |
| Calcium | mg/L | 35.7 | 36.0 | 36.6 | 36.4 | 36.5 | 35.8 | 36.3 | 37.2 | 36.9 | 36.5 | 36.2 | 36.3 | 36.5 | 35.5 | 35.4 | 34.4 | 34.9 | 34.9 | 36.0 | | | | |
| Iron | mg/L | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | 0.0800 U | | | | 0.3 |
| Magnesium | mg/L | 13.1 | 12.7 | 12.6 | 12.5 | 12.5 | 12.3 | 12.4 | 12.8 | 12.7 | 12.5 | 12.5 | 12.5 | 12.5 | 12.2 | 12.2 | 11.9 | 12.0 | 12.0 | 12.4 | | | | |
| Potassium | mg/L | 2.01 | 1.85 | 1.83 | 1.78 | 1.77 | 1.76 | 1.72 | 1.78 | 1.76 | 1.75 | 1.76 | 1.77 | 1.76 | 1.72 | 1.72 | 1.66 | 1.70 | 1.68 | 1.75 | | | | - |
| Sodium | mg/L | 11.5 | 11.6 | 11.4 | 11.2 | 11.2 | 11.1 | 11.1 | 11.4 | 11.3 | 11.2 | 11.1 | 11.2 | 11.2 | 10.9 | 10.9 | 10.6 | 10.8 | 10.7 | 11.1 | | | | |
| Tín | mg/L | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | 0.0200 U | | | - | - |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sa | • | | | | | | | | | 110 J | | | - | |
| Chloride | mg/L | | | | | | | | | Not Sa | npled | | | | | | | | | 17.5 | | - | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sar | npled | | | | | | | | | 0.09 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sar | npled | | | | | | | | | 29.2 | | | _ | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sar | npled | | | | | | | | | 0.17 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3343 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ur Results | Before Ex | cavation o | n 10/13/20 |)16 | | | | | | | Compariso | on Standards | *************************************** |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|------------------------|------------|----------------------|---|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | 8.4 | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Maximum Contaminant | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 0.81 U | 1.1 J | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 3.5 U | 3.4 U | 3.4 U | 3.4 U | 3.5 U | 3.5 U | 3.4 U | 3.2 U | 3.4 U | 3.2 U | 3.5 U | 3.6 U | 3.5 U | 3.5 U | 3.5 U | 3.4 U | 100 | | 100 | |
| Copper | μg/L | 41 | 19 | 11 | 12 | 12 | 10 | 9.6 J | 10 | 10 | 11 | 11 | 11 | 10 J | 9.6 J | 9.2 J | 8.1 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.8 J | 2.2 | 2.7 | 4.7 | 6.2 | 6.3 | 6.2 | 6.5 | 6.5 | 6.8 | 6.9 | 5.9 | 4.7 | 4.2 | 3.9 | 2.9 | | 15 | 0 | <u> </u> |
| Manganese | μg/L | 1.0 J | 1.1 J | 2.3 J | 2.5 J | 2.7 J | 2.6 J | 2.4 J | 2.4 J | 2.3 J | 2.5 J | 2.3 J | 2.4 J | 2.3 J | 2.2 J | 2.1 J | 1.8 J | | | | 50 |
| Nickel | μg/L | 2.1 J | 1.7 J | 1.9 J | 1.7 J | 1.8 J | 1.8 J | 1.7 J | 1.7 J | 1.8 J | 1.8 J | 1.8 J | 1.7 J | 1.8 J | 1.7 J | 1.7 J | 1.7 J | | | | |
| Zinc | μg/L | 85 | 61 | 110 | 120 | 75 | 62 | 51 | 48 | 47 | 49 | 43 | 40 | 38 | 36 | 34 | 23 | | | | 5000 |
| Aluminum | mg/L | 0.077 | 0.087 | 0.095 | 0.10 | 0.13 | 0.12 | 0.12 | 0.11 | 0.12 | 0.14 | 0.13 | 0.12 | 0.12 | 0.11 | 0.19 | 0.12 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 36 | 35 | 36 | 37 | 37 | 37 | 37 | 35 | 36 | 38 | 39 | 37 | 37 | 37 | 36 | 38 | | | | |
| Iron | mg/L | 0.029 U | 0.052 U | 0.096 U | 0.16 | 0.41 | 0.30 | 0.17 | 0.16 | 0.16 | 0.19 | 0.18 | 0.15 | 0.16 | 0.13 | 0.14 | 0.13 | | | | 0.3 |
| Magnesium | mg/L | 13 J- | 12 J- | 13 J- | 13 J- | 13 J- | 13 J- | 13 J- | 12 J- | 13 J- | 13 J- | 13 J- | 13 J- | 13 J- | 13 J- | 13 J- | 13 J- | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.7 | 1.5 | 1.6 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 11 | 11 | 12 | 12 | 11 | 11 | 12 | 12 | 11 | 11 | 11 | 11 | 12 | | | | |
| Tin | mg/L | 0.0019 J+ | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0018 J+ | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | • | | • | • | | Not | Sampled | • | • | | | • | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.18 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | · | | • | • | | Not | Sampled | • | • | | | • | | | 32.3 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3343 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | Y | our Results | - After Ex | cavation o | n 12/1/20: | L 6 | | | | | | | Compariso | n Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|---|
| | | S01 Faucet | S02 Under Sink | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | \$13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | *************************************** |
| Parameter | Units | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 0.21 | 0.35 | 0.76 | 0.87 | 0.24 | 0.23 | 0.19 J | 0.20 | 0.16 J | 0.14 J | 0.14 J | 0.14 J | 0.13 J | 0.11 J | 0.11 J | 0.08 J | 5 | | 5 | |
| Chromium | μg/L | 0.76 U | 0.63 U | 0.56 U | 0.53 U | 0.5 U | 0.56 U | 0.57 U | 0.61 U | 0.59 U | 0.54 U | 0.53 U | 0.55 U | 0.59 U | 0.58 U | 0.52 U | 0.52 U | 100 | | 100 | |
| Copper | μg/L | 42.1 | 17.4 | 7.0 | 4.7 | 5.2 | 5.3 | 4.7 | 4.4 | 4.5 | 4.3 | 4.3 | 4.4 | 4.5 | 4.6 | 4.6 | 3.9 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.1 | 1.5 | 1.2 | 1.0 | 1.1 | 1.2 | 1.4 | 1.6 | 1.6 | 1.5 | 1.5 | 1.3 | 0.80 J | 0.64 J | 0.62 J | 0.58 J | | 15 | 0 | |
| Manganese | μg/L | 0.50 U | 0.68 U | 0.99 U | 0.78 U | 0.56 U | 0.60 U | 0.63 U | 0.66 U | 0.66 U | 0.66 U | 0.64 U | 0.68 U | 0.67 U | 0.73 U | 0.66 U | 0.65 U | | | | 50 |
| Nickel | μg/L | 0.88 | 0.52 | 0.84 | 0.60 | 0.59 | 0.56 | 0.52 | 0.56 | 0.59 | 0.54 | 0.55 | 0.59 | 0.52 | 0.54 | 0.54 | 0.53 | | | | |
| Zinc | μg/L | 95.5 | 59.6 | 109 | 91.0 | 31.4 | 28.7 | 26.2 | 25.4 | 23.7 | 20.9 | 19.2 | 18.2 | 17.2 | 16.9 | 16.4 | 11.9 | | | | 5000 |
| Aluminum | mg/L | 0.0372 | 0.0531 | 0.110 | 0.0576 | 0.0507 | 0.0535 | 0.0477 | 0.0452 | 0.0443 | 0.0436 | 0.0438 | 0.0428 | 0.0422 | 0.0438 | 0.0460 | 0.0478 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 34.3 | 35.6 | 34.2 | 34.9 | 34.7 | 34.7 | 34.7 | 34.8 | 33.9 | 35.0 | 34.2 | 34.5 | 33.8 | 34.3 | 34.3 | 33.8 | | | | |
| Iron | mg/L | 0.0218 J | 0.0407 J | 0.0519 J | 0.0283 J | 1.96 | 0.0269 J | 0.0274 J | 0.0174 J | 0.0303 J | 0.0218 J | 0.0376 J | 0.0279 J | 0.0261 J | 0.0727 J | 0.0206 J | 0.100 U | | | | 0.3 |
| Magnesium | mg/L | 12.0 | 12.3 | 11.7 | 11.8 | 11.9 | 12.0 | 12.0 | 12.0 | 11.8 | 12.1 | 11.8 | 11.9 | 11.7 | 11.8 | 11.9 | 11.7 | | | | |
| Potassium | mg/L | 1.59 | 1.41 | 1.60 | 1.52 | 1.56 | 1.60 | 1.59 | 1.55 | 1.49 | 1.58 | 1.55 | 1.56 | 1.52 | 1.55 | 1.56 | 1.55 | | | | |
| Sodium | mg/L | 10.5 | 9.49 | 10.5 | 10.6 | 10.6 | 10.7 | 10.7 | 10.6 | 10.5 | 10.7 | 10.5 | 10.7 | 10.5 | 10.6 | 10.5 | 10.6 | | | | |
| Tin | mg/L | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | 0.001 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 104 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 16.9 | | | | 250 |
| Fluoride | mg/L | | | · | · | · | · | Not | Sampled | · | · | · | · | · | · | · | 0.110 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | | | | | | | | 27.8 | | | | 250 |
| Total Phosphorus | mg/L | | | | • | | • | Not | Sampled | | • | | | | • | • | 0.216 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3383 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | You | r Results - I | Before Excav | ation on 10 | /17/2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|------------|----------------------|---|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | 5.2 | | Maximum | A. C. |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Maximum | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.5 | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | - | 5 | |
| Chromium | μg/L | 3.1 U | 8.2 | 6.0 | 2.9 U | 3.8 U | 3.8 U | 3.3 U | 3.6 U | 3.3 U | 3.6 U | 4.1 | 3.3 U | 3.6 U | 3.4 U | 3.5 U | 3.3 U | 3.5 U | 3.6 U | 3.7 U | 100 | | 100 | |
| Copper | μg/L | 1.6 U | 2.0 U | 5.0 U | 2.2 U | 1.8 U | 2.0 U | 2.2 U | 2.0 U | 1.8 U | 1.9 U | 2.4 U | 1.6 U | 10 U | 10 U | 10 U | 10 U | 10 U | 1.7 U | 10 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.6 | 2.9 | 8.9 | 6.7 | 6.5 | 6.9 | 7.3 | 7.3 | 7.2 | 7.5 | 8.9 | 10 | 9.7 | 6.7 | 4.3 | 3.5 | 4.8 | 3.4 | 3.2 | | 1.5 | 0 | |
| Manganese | μg/L | 4.3 | 6.2 | 5.3 | 2.5 J | 2.7 J | 2.0 J | 1.7 J | 1.9 J | 1.5 J | 1.2 J | 1.4 J | 0.74 U | 0.80 U | 0.76 U | 1.0 J | 0.97 U | 1.2 J | 1.1 J | 0.98 U | | | _ | 50 |
| Nickel | μg/L | 2.4 U | 4.7 | 4.6 | 2.2 U | 2.1 U | 2.1 U | 1.9 U | 2.0 U | 1.9 U | 1.9 U | 2.4 U | 1.9 U | 1.9 U | 1.8 U | 1.9 U | 1.9 U | 1.9 U | 2.1 U | 2.0 U | | | | |
| Zinc | μg/L | 200 | 85 | 69 | 58 | 54 | 35 | 30 | 33 | 30 | 26 | 22 | 18 J | 17 J | 16 J | 16 J | 15 J | 16 J | 16 J | 12 J | | - | _ | 5000 |
| Aluminum | mg/L | 0.088 | 0.10 | 0.11 | 0.10 | 0.11 | 0.11 | 0.11 | 0.10 | 0.11 | 0.10 | 0.11 | 0.10 | 0.10 | 0.10 | 0.097 | 0.095 | 0.099 | 0.10 | 0.093 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 36 | 36 | 37 | 37 | 37.0 | 36 | 37 | 37 | 37 | 38 | 37 | 36 | 37 | 37 | 37 | 36 | 38 | 38 | 37 | | | | |
| Iron | mg/L | 0.13 | 0.48 | 0.14 | 0.11 | 0.21 | 0.096 U | 0.083 U | 0.12 | 0.068 U | 0.061 U | 0.052 U | 0.038 U | 0.036 U | 0.034 U | 0.034 U | 0.035 U | 0.032 U | 0.035 U | 0.032 U | | | _ | 0.3 |
| Magnesium | mg/L | 12 | 12 | 13 | 12 | 12 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | | | | |
| Potassium | mg/L | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.7 | 1.6 | 1.7 | 1.6 | 1.7 | 1.7 | 1.6 | | | | |
| Sodium | mg/L | 11 | 11 | 11 | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 11 | 12 | 11 | 11 | 11 | 12 | 12 | 11 | | | | |
| Tin | mg/L | 0.0018 U | 0.020 U | 0.0016 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0019 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0018 U | | | _ | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sa | | | | | | | | | | 110 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sa | | | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | <u> </u> | | | | | | | | | mpled | | | | | | | | | 0.15 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | <u> </u> | | | | | | | | Not Sa | | | | | | | | | | 23.9 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sa | ımpled | | | | | | | | | 0.029 J | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

U = Not detected above the listed reporting limit

J = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3383 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | esults - Aft | er Excavat | ion on 12/ | 6/2016 | | | | | | | | | Compariso | n Standards | |
|------------------|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-------------|-------------|-------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, | | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | DS03 | Maximum | Action | Contaminant | Secondary |
| raianicici | Offics | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Contaminant | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | Level (MCL) | Practition. | (MCLG) | 10.02 |
| | | (123 ML) | (1231HL) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | System | | | 4141-04-04 | |
| Cadmium | μg/L | 0.20 | 0.09 J | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 5 | | 5 | |
| Chromium | μg/L | 0.42 J | 0.38 J | 0.40 J | 0.40 J | 0.42 J | 0.38 J | 0.39 J | 0.41 J | 0.45 J | 0.49 J | 0.49 J | 0.46 J | 0.46 J | 0.43 J | 0.43 J | 0.46 J | 0.45 J | 0.74 J | 0.43 J | 100 | | 100 | |
| Copper | μg/L | 14.7 | 2.1 | 1.7 | 1.1 | 1.1 | 1.0 | 1.2 | 1.0 | 1.1 | 1.0 J | 1.2 | 1.0 | 0.88 U | 0.87 U | 0.95 J | 0.86 U | 0.81 U | 0.85 U | 0.75 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 3.3 | 2.8 | 2.2 | 2.0 | 2.2 | 2.3 | 2.5 | 2.7 | 2.8 | 2.7 | 2.8 | 3.2 | 3.3 | 2.8 | 2.4 | 2.1 | 1.9 | 1.7 | 1.5 | | 15 | 0 | |
| Manganese | μg/L | 2.9 | 4.8 | 1.0 | 0.72 J | 0.74 J | 0.86 J | 0.67 J | 0.66 J | 0.69 J | 0.64 J | 1.2 | 0.74 J | 0.83 J | 1.1 | 2.0 | 1.6 | 0.98 J | 0.78 J | 0.51 J | | | | 50 |
| Nickel | μg/L | 36.9 | 2.5 | 2.2 | 1.1 | 1.2 | 0.69 | 0.86 | 0.65 | 0.92 | 0.66 | 0.66 | 0.82 | 0.63 | 0.72 | 0.60 | 0.62 | 0.73 | 0.81 | 0.56 | | | | |
| Tin | μg/L | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 0.18 J | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 0.55 J | 1.0 U | 1.0 U | 1.0 U | 0.22 J | 1.0 U | 1.0 U | 0.17 J | 1.0 U | | | | |
| Zinc | μg/L | 232 | 66.3 | 32.3 | 25.5 | 23.8 | 20.0 | 18.8 | 16.9 | 16.7 | 15.5 | 14.7 | 13.2 | 12.7 | 11.6 | 11.9 | 14.5 | 11.5 | 13.2 | 8.5 | | | | 5000 |
| Aluminum | mg/L | 0.0758 | 0.0860 | 0.0480 | 0.0448 | 0.0442 | 0.0448 | 0.0467 | 0.0433 | 0.0469 | 0.0460 | 0.0455 | 0.0447 | 0.0453 | 0.0449 | 0.0463 | 0.0467 | 0.0442 | 0.0460 | 0.0438 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 34.7 | 35.3 | 36.5 | 36.0 | 36.8 | 36.1 | 35.7 | 35.4 | 35.4 | 36.1 | 36.4 | 35.4 | 35.9 | 35.4 | 35.6 | 35.4 | 35.9 | 35.7 | 35.6 | | | | |
| Iron | mg/L | 0.0926 J | 0.374 | 0.0326 U | 0.0236 U | 0.100 U | 0.0302 U | 0.0260 U | 0.100 U | 0.0320 U | 0.0212 U | 0.100 U | 0.0407 J | 0.0290 U | 0.0151 U | 0.0152 U | 0.0457 J | 0.0135 U | 0.0148 U | 0.100 U | | | | 0.3 |
| Magnesium | mg/L | 11.9 | 12.0 | 12.5 | 12.3 | 12.6 | 12.3 | 12.2 | 12.1 | 12.1 | 12.4 | 12.5 | 12.1 | 12.3 | 12.2 | 12.2 | 12.2 | 12.4 | 12.3 | 12.3 | | | | |
| Potassium | mg/L | 1.70 | 1.74 | 1.76 | 1.69 | 1.79 | 1.73 | 1.71 | 1.68 | 1.70 | 1.73 | 1.74 | 1.71 | 1.70 | 1.70 | 1.70 | 1.69 | 1.72 | 1.72 | 1.73 | | | | |
| Sodium | mg/L | 11.4 | 11.5 | 11.8 | 11.6 | 11.8 | 11.7 | 11.6 | 11.6 | 11.6 | 11.8 | 11.8 | 11.5 | 11.7 | 11.6 | 11.6 | 11.5 | 11.7 | 11.7 | 11.7 | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | oled | | | | | | | | | 107 | | | | |
| Chloride | mg/L | | | | | | | | | Not Samp | oled | | | | | | | | | 16.7 | | | | 250 |
| Fluoride | mg/L | | • | | | | | | | Not Sam | oled | | | | | | | | | 0.116 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Samp | oled | | | | | | | | | 26.8 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Samp | oled | | | | | | | | | 0.235 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

J = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3406 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your R | esults - Bef | ore Excava | tion on 10/ | 7/2016 | | | | | | | | | Compariso | n Standards | |
|------------------|------------|------------|------------|--|-----------|-----------|-----------|-----------|--|--------------|------------|-------------|--|-----------|--|------------------|-----------|-----------|--|---------------------|----------------|------------|-------------|-------------|
| | | S01 | 502 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | 512 | S13 | S14 | S15 | S16 | 517 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Level (MCL) | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | sample | System | 20.00. (11.00) | | (MCLG) | |
| | | | | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | | | | | |
| Cadmium | μg/L | 0.61 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 3.4 U | 0.67 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 3.8 U | 3.8 U | 4.3 U | 3.8 U | 4.1 U | 4.2 U | 4.4 U | 4.1 U | 4.1 U | 7.4 U | 4.9 U | 4.8 U | 5.9 U | 4.6 U | 4.7 U | 2.9 U | 6.6 U | 3.3 U | 3.4 U | 100 | | 100 | |
| Copper | μg/L | 59 | 78 | 32 | 13 | 15 | 10 | 7.5 U | 8.4 U | 6.9 U | 14 | 8.1 U | 7.2 U | 8.6 U | 6.4 U | 6.6 U | 5.7 U | 5.0 U | 5.1 U | 5.5 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 4.5 | 2.3 | 3.0 | 3.1 | 3.7 | 4.5 | 5.4 | 6.8 | 7.3 | 13 | 13 | 13 | 15 | 6.5 | 4.1 | 3.2 | 2.9 | 3.0 | 3.2 | | 15 | 0 | |
| Manganese | μg/L | 4.2 | 1.1 J | 1.1 J | 1.2 J | 0.99 J | 1.1 J | 1.2 J | 1.5 J | 1.7 J | 5.7 | 3.4 J | 3.4 J | 4.9 | 3.9 J | 3.6 J | 3.5 J | 2.7 J | 3.5 J | 3.5 J | | | | 50 |
| Nickel | μg/L | 3.2 U | 1.8 U | 1.7 U | 1.8 U | 1.5 U | 1.8 U | 1.6 U | 1.8 U | 1.6 U | 8.2 | 2.8 U | 2.1 U | 2.8 U | 2.0 U | 2.1 ∪ | 1.9 U | 1.9 U | 1.5 U | 2.1 U | | | | |
| Zinc | μg/L | 28 | 9.1 J | 16 J | 14 J | 13 J | 17 J | 15 J | 16 J | 14 J | 22 | 12 J | 8.8 J | 11 J | 7.7 J | 9.0 J | 6.5 J | 6.2 J | 7.8 J | 8.3 J | | | | 5000 |
| Aluminum | mg/L | 0.087 | 0.093 | 0.097 | 0.094 | 0.095 | 0.091 | 0.094 | 0.092 | 0.098 | 0.11 | 0.10 | 0.10 | 0.10 | 0.11 | 0.10 | 0.11 | 0.11 | 0.11 | 0.11 | - | - | - | 0.05 to 0.2 |
| Calcium | mg/L | 36 | 36 | 37 | 35 | 37 | 35 | 36 | 35 | 36 | 40 | 36 | 35 | 35 | 38 | 35 | 36 | 36 | 38 | 39 | | - | | |
| Iron | mg/L | 0.036 U | 0.026 U | 0.035 U | 0.031 U | 0.026 U | 0.026 U | 0.028 U | 0.032 U | 0.040 U | 0.054 U | 0.069 U | 0.081 U | 0.079 U | 0.080 U | 0.062 U | 0.12 | 0.081 U | 0.070 U | 0.062 U | | | | 0.3 |
| Magnesium | mg/L | 12 | 12 | 13 | 12 | 13 | 12 | 12 | 12 | 12 | 14 | 12 | 12 | 12 | 13 | 12 | 12 | 12 | 13 | 14 | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.6 | 1.5 | 1.6 | 1.6 | 1.6 | 1.5 | 1.6 | 1.7 | 1.6 | 1.5 | 1.6 | 1.6 | 1.5 | 1.6 | 1.6 | 1.6 | 1.7 | | | - | |
| Sodium | mg/L | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 13 | 11 | 11 | 11 | 12 | 11 | 11 | 11 | 12 | 12 | | | | |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | - | |
| Total Alkalinity | mg CaCO3/L | | | | • | • | • | • | | Not Sam | pled | • | | • | | | • | • | | 120 | - | | - | |
| Chloride | mg/L | | | · | · | · | | · | , and the second | Not Sam | pled | · | , and the second | · | , and the second | , and the second | · | · | , and the second | 1.0 J | - | | - | 250 |
| Fluoride | mg/L | | | | · | · | | · | | Not Sam | pled | · | | · | | | · | · | | 0.16 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | , and the second | · | · | · | · | , and the second | Not Sam | pled | · | , and the second | · | , and the second | , and the second | · | · | , and the second | 40.5 J | | | - | 250 |
| Total Phosphorus | mg/L | | | | · | | | | | Not Sam | pled | | | | | | | · | | 0.018 J | | | | |

Notes

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3406 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | γ | our Result | s - After Ex | cavation o | n 12/2/201 | L 6 | | | | | | | Compariso | n Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|------------------|
| | | S01 Faucet | S02 Under Sink | S03 | S04 | S05 | \$06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 0.2 U | 5 | | 5 | |
| Chromium | μg/L | 0.52 U | 0.53 U | 0.53 U | 0.42 U | 0.52 U | 0.55 U | 0.51 U | 0.53 U | 0.55 U | 0.48 U | 0.51 U | 0.53 U | 0.58 U | 0.54 U | 0.53 U | 0.58 U | 100 | | 100 | |
| Copper | μg/L | 20.2 J+ | 23.3 J+ | 13.3 J+ | 6.3 J+ | 6.2 J+ | 5.8 J+ | 3.5 J+ | 3.2 J+ | 3.8 J+ | 3 J+ | 3.1 J+ | 3.1 J+ | 2.9 J+ | 2.7 J+ | 2.8 J+ | 2.8 J+ | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.6 | 1.4 | 1.4 | 1.4 | 1.6 | 1.4 | 1.4 | 1.4 | 1.4 | 1.3 | 1.9 | 2.6 | 2.6 | 2.1 | 1.3 | 0.74 J | | 15 | 0 | |
| Manganese | μg/L | 0.99 J | 0.91 J | 1.1 | 0.93 J | 0.92 J | 1.2 | 0.96 J | 0.91 J | 1 J | 0.97 J | 0.99 J | 0.98 J | 0.97 J | 1.0 | 1.1 | 1.3 | | | | 50 |
| Nickel | μg/L | 1.3 | 0.60 | 0.60 | 0.58 | 0.92 | 0.75 | 0.54 | 0.55 | 0.80 | 0.54 | 0.54 | 0.58 | 0.54 | 0.57 | 0.53 | 0.55 | | | | |
| Tin | μg/L | 0.19 J | 0.22 J | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | | | | |
| Zinc | μg/L | 12.5 | 4.3 | 5.6 | 6.2 | 6.9 | 7.5 | 11.5 | 5.3 | 23.9 | 6.2 | 5.3 | 3.2 | 3.1 | 4.2 | 2.5 U | 2.8 U | | | | 5000 |
| Aluminum | mg/L | 0.0420 | 0.0447 | 0.0455 | 0.0458 | 0.0463 | 0.0463 | 0.0466 | 0.0453 | 0.0455 | 0.0453 | 0.0462 | 0.0445 | 0.0438 | 0.0442 | 0.0452 | 0.0431 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 34.2 | 34.0 | 34.2 | 34.5 | 34.4 | 35.0 | 34.8 | 34.4 | 34.6 | 35.1 | 34.4 | 34.2 | 34.8 | 34.7 | 34.1 | 34.6 | | | | |
| Iron | mg/L | 0.0248 U | 0.0145 U | 0.0156 U | 0.100 U | 0.0181 U | 0.100 U | 0.0141 U | 0.0154 U | 0.0278 U | 0.0166 U | 0.0199 U | 0.0372 U | 0.100 U | 0.100 U | 0.100 U | 0.0231 U | | | | 0.3 |
| Magnesium | mg/L | 11.7 | 11.5 | 11.6 | 11.8 | 11.7 | 11.9 | 11.9 | 11.8 | 11.8 | 11.9 | 11.7 | 11.6 | 11.8 | 11.8 | 11.6 | 11.8 | | | | |
| Potassium | mg/L | 1.54 | 1.53 | 1.56 | 1.60 | 1.55 | 1.58 | 1.59 | 1.54 | 1.62 | 1.54 | 1.58 | 1.53 | 1.56 | 1.53 | 1.48 | 1.54 | | | | |
| Sodium | mg/L | 10.8 | 10.7 | 10.6 | 10.9 | 10.8 | 10.8 | 10.9 | 10.8 | 10.9 | 11.0 | 10.8 | 10.7 | 10.8 | 10.8 | 10.6 | 10.7 | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 106 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 17.1 | | | | 250 |
| Fluoride | mg/L | | | | | | | Not | Sampled | • | • | | • | • | • | | 0.126 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | · | · | | · | · | · | | 26.3 | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.22 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their



Site 3434 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Bef | ore Excava | ion on 10/ | 6/2016 | | | | | | | | *************************************** | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|---|------------|----------------------|-------------|
| | | S01 | S02 | 503 | S04 | S05 | S06 | S07 | 508 | S09 | S10 | S11 | S12 | S13 | 514 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | 8.8 | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Maximum | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.4 | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 3.3 U | 3.9 U | 3.4 U | 3.5 U | 19 | 5.9 | 4.9 | 3.5 U | 3.8 U | 3.6 U | 3.4 U | 3.2 U | 5.2 | 4.0 U | 3.5 U | 3.1 U | 11 | 3.2 U | 3.4 U | 100 | _ | 100 | |
| Copper | μg/L | 31 | 76 | 16 | 4.0 U | 4.1 U | 6.2 U | 4.1 U | 5.8 J | 5.2 U | 3.7 U | 6.0 U | 3.3 U | 3.1 U | 3.9 U | 3.1 U | 3.0 U | 3.1 U | 4.1 U | 2.5 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.7 J | 1.6 J | 1.4 J | 1.6 J | 1.8 J | 4.2 | 2.1 J | 1.8 J | 3.3 J | 4.2 | 2.9 J | 1.8 J | 1.8 J | 1.5 J | 1.4 J | 1.4 J | 1.3 J | 1.6 J | 1.2 J- | | 15 | 0 | |
| Manganese | μg/L | 1.0 J | 0.95 J | 0.97 J | 1.1 J | 3.0 J | 3.5 J | 1.6 J | 1.5 J | 1.3 J | 1.1 J | 1.4 J | 1.1 J | 2.0 J | 1.2 J | 1.5 J | 1.2 J | 2.9 J | 1.2 J | 1.0 J | | - | | 50 |
| Nickel | μg/L | 4.8 | 2.9 U | 2.0 U | 2.0 U | 10 | 4.4 | 2.9 U | 2.1 U | 2.3 U | 2.0 U | 1.9 U | 2.0 U | 3.1 U | 2.4 U | 1.8 U | 1.8 U | 6.0 | 2.4 U | 1.7 U | | | | - |
| Zinc | μg/L | 85 | 46 | 11 J | 17 U | 18 U | 17 U | 17 U | 17 U | 14 U | 13 U | 9.6 U | 8.3 U | 13 U | 9.8 U | 8.3 U | 9.6 U | 9.7 U | 15 U | 6.0 U | | | | 5000 |
| Aluminum | mg/L | 0.084 | 0.086 | 0.10 | 0.11 | 0.11 | 0.10 | 0.11 | 0.098 | 0.10 | 0.11 | 0.12 | 0.11 | 0.12 | 0.11 | 0.12 | 0.11 | 0.11 | 0.10 | 0.11 J+ | | _ | _ | 0.05 to 0.2 |
| Calcium | mg/L | 35 J | 36 J | 38 J | 37 J | 39 J | 35 J | 39 J | 34 J | 36 J | 38 J | 38 J | 37 J | 38 J | 36 J | 37 J | 35 J | 36 J | 33 J | 35 J | | | | |
| Iron | mg/L | 0.10 U | 0.10 U | 0.054 U | 0.034 U | 0.086 U | 0.024 U | 0.029 U | 0.048 U | 0.026 U | 0.019 U | 0.022 U | 0.11 J+ | 0.019 U | 0.031 U | 0.028 U | 0.023 U | 0.026 U | 0.037 U | 0.11 J+ | | | - | 0.3 |
| Magnesium | mg/L | 13 J | 13 J | 13 J | 13 J | 13 J | 12 J | 13 J | 12 J | 12 J | 13 J | 13 J | 13 J | 13 J | 13 J | 13 J | 12 J | 13 J | 12 J | 12 J | | | - | |
| Potassium | mg/L | 1.5 | 1.6 | 2.2 | 1.9 | 1.9 | 1.7 | 1.8 | 1.6 | 1.7 | 1.8 | 1.8 | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.7 | 1.4 | 1.6 | | - | | |
| Sodium | mg/L | 11 J | 11 J | 11 J | 11 J | 12 J | 11 J | 12 J | 11 J | 11 J | 12 J | 12 J | 12 J | 12 J | 12 J | 12 J | 11 J | 12 J | 11 J | 11 J+ | | | _ | |
| Tin | mg/L | 0.0018 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0068 U | 0.020 U | 0.0027 U | 0.020 U | 0.020 U | 0.020 U | 0.0020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | - |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | pled | | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 3.0 | | | _ | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 0.50 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Sam | | | | | | | | | | 15.5 J | | | _ | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | pled | | | | | | | | | 0.050 U | | | | - |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3434 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your R | esults Afte | r Excavatio | n on 10/18/ | 2016 | | | | | | | | | Compariso | on Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | B. 82 | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Maximum | Action | Contaminant | Secondary |
| | | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | 16th sample (1 liter) | 17th sample (1 liter) | 18th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | - |
| Chromium | μg/L | 3.0 U | 3.3 U | 2.7 U | 3.1 U | 3.3 U | 3.6 U | 3.7 U | 5.5 U | 3.7 U | 3.7 U | 3.7 U | 3.3 U | 3.0 U | 3.5 U | 3.7 U | 3.8 U | 3.7 U | 3.8 U | 3.7 U | 100 | | 100 | |
| Copper | μg/L | 39 | 8.3 J | 5.2 J | 7.3 J | 6.4 J | 5.9 J | 3.5 J | 4.9 J | 2.7 J | 2.6 J | 2.4 J | 2.2 J | 2.2 J | 2.4 J | 2.0 J | 2.0 J | 2.1 J | 2.0 J | 1.9 J | | 1300 | 1300 | 1000 |
| Lead | μg/L | 4.1 | 3.2 | 3.7 | 3.5 | 3.8 | 3.6 | 3.4 | 5.4 | 3.6 | 3.4 | 4.5 | 5.7 | 3.8 | 3.5 | 2.3 | 2.4 | 2.4 | 2.2 | 1.9 J | | 15 | 0 | |
| Manganese | μg/L | 2.9 J | 5.9 | 2.2 J | 1.9 J | 1.8 J | 2.0 J | 1.7 J | 3.7 J | 1.5 J | 1.4 J | 1.8 J | 2.8 J | 2.4 J | 1.5 J | 1.3 J | 1.3 J | 1.3 J | 1.4 J | 1.2 J | | | | 50 |
| Nickel | μg/L | 3.1 U | 2.5 U | 2.1 U | 2.1 U | 2.1 U | 2.2 U | 2.1 U | 3.8 U | 2.0 U | 2.1 U | 2.1 U | 2.0 U | 1.9 U | 2.0 U | 2.0 U | 2.1 U | 2.1 U | 2.1 U | 2.1 U | | _ | | |
| Zinc | μg/L | 470 | 250 | 94 | 29 | 37 | 26 | 16 J | 19 J | 24 | 13 J | 16 J | 13 J | 12 J | 57 | 12 J | 12 J | 17 J | 11 J | 7.6 U | - | | | 5000 |
| Aluminum | mg/L | 0.098 J+ | 0.11 J+ | 0.12 J+ | 0.11 J+ | 0.12 J+ | 0.11 J+ | 0.10 J+ | 0.10 J+ | 0.10 J+ | 0.10 J+ | 0.10 J+ | 0.11 J+ | 0.11 J+ | 0.12 J+ | 0.098 J+ | 0.099 J+ | 0.095 J+ | 0.095 J+ | 0.096 J+ | | | | 0.05 to 0.2 |
| Calcium | mg/L | 38 | 39 | 38 | 37 | 39 | 39 | 38 | 38 | 37 | 38 | 37 | 38 | 38 | 39 | 38 | 38 | 37 | 37 | 38 | | - | | - |
| Iron | mg/L | 0.067 U | 0.26 | 0.069 U | 0.042 U | 0.043 U | 0.047 U | 0.036 U | 0.038 U | 0.032 U | 0.032 U | 0.063 U | 0.089 U | 0.065 U | 0.035 U | 0.027 U | 0.026 U | 0.024 U | 0.023 U | 0.049 U | | | | 0.3 |
| Magnesium | mg/L | 13 | 13 | 12 | 13 | 13 | 13 | 13 | 13 | 12 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | | - | | ļ — |
| Potassium | mg/L | 1.7 | 1.7 | 1.7 | 1.6 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | | | | |
| Sodium | mg/L | 12 | 12 | 11 | 11 | 11 | 12 | 11 | 12 | 11 | 12 | 12 | 11 | 12 | 12 | 11 | 11 | 12 | 12 | 5.9 | | | | - |
| Tin | mg/L | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | _ | | - |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Samp | led | | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | | | Not Samp | led | | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | | | Not Samp | led | | | | | | | | | 0.15 U | 4 | | 4 | 2. |
| Sulfate as SO4 | mg/L | | | | | | | | | Not Samp | led | | | · | | | | · | | 48.8 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | - | - | | - | Not Samp | led | - | | | | | | | | 0.050 U | | | | - |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

U = Not detected above the listed reporting limit

J = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3437 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | You | ur Results | Before Ex | cavation o | n 10/14/20 |)16 | | | | | | | Compariso | on Standards | |
|------------------|------------|------------|------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------------------|------------|----------------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | DS01, DS02, DS03 | 8.7 | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | Maximum Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | Distribution | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| | | (125 mL) | (125 mL) | sample (1 liter) | System | | | (inicto) | |
| Cadmium | μg/L | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | |
| Chromium | μg/L | 1.5 U | 1.8 U | 1.5 U | 1.9 U | 1.9 U | 1.7 U | 1.6 U | 1.6 U | 1.9 U | 1.5 U | 1.5 U | 1.6 U | 1.6 U | 1.4 U | 1.4 U | 1.3 U | 100 | | 100 | |
| Copper | μg/L | 47 | 76 | 53 | 31 | 28 | 11 | 11 | 9.6 U | 11 | 6.6 U | 6.3 U | 6.6 U | 6.7 U | 5.3 U | 5.2 U | 4.3 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 1.6 U | 2.6 | 3.4 | 1.8 U | 2.0 U | 1.3 U | 1.1 U | 1.2 U | 3.4 | 5.4 | 1.6 U | 1.1 U | 1.3 U | 1.1 U | 0.99 U | 0.85 U | | 15 | 0 | |
| Manganese | μg/L | 0.85 U | 0.65 U | 0.74 U | 1.2 U | 1.4 U | 0.89 U | 4.0 U | 0.56 U | 1.4 U | 0.60 U | 0.71 U | 0.91 U | 0.82 U | 0.78 U | 0.69 U | 0.76 U | | | | 50 |
| Nickel | μg/L | 1.5 U | 0.86 U | 0.76 U | 0.76 U | 0.68 U | 1.1 U | 0.57 U | 0.61 U | 0.72 U | 0.54 U | 0.55 U | 0.59 U | 0.62 U | 0.50 U | 0.50 U | 0.55 U | | | | |
| Zinc | μg/L | 220 | 32 | 11 J | 6.6 J | 7.5 J | 8.7 J | 6.6 J | 6.2 J | 5.4 J | 20 U | | | | 5000 |
| Aluminum | mg/L | 0.090 | 0.099 | 0.11 | 0.099 | 0.11 | 0.16 | 0.11 | 0.11 | 0.10 | 0.099 | 0.092 | 0.085 | 0.095 | 0.090 | 0.089 | 0.091 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35 | 36 | 36 | 32 | 36 | 34 | 37 | 37 | 35 | 35 | 34 | 32 | 36 | 34 | 35 | 35 | | | | |
| Iron | mg/L | 0.036 U | 0.043 U | 0.042 U | 0.12 | 0.076 U | 0.056 U | 0.034 U | 0.034 U | 0.033 U | 0.031 U | 0.032 U | 0.032 U | 0.034 U | 0.037 U | 0.031 U | 0.034 U | | | | 0.3 |
| Magnesium | mg/L | 12 | 13 | 13 | 11 | 12 | 12 | 13 | 13 | 12 | 12 | 12 | 11 | 13 | 12 | 12 | 12 | | | | |
| Potassium | mg/L | 1.6 | 1.6 | 1.6 | 1.4 | 1.5 | 1.5 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.4 | 1.6 | 1.5 | 1.5 | 1.5 | | | | |
| Sodium | mg/L | 11 J+ | 11 J+ | 11 J+ | 10 J+ | 11 J+ | 11 J+ | 11 J+ | 12 J+ | 11 J+ | 11 J+ | 11 J+ | 10 J+ | 11 J+ | 11 J+ | 11 J+ | 11 J+ | | | | |
| Tin | mg/L | 0.0019 U | 0.020 U | 0.020 U | 0.0018 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0024 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 120 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 3.0 | | | | 250 |
| Fluoride | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.17 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | | | | | | | | 40.5 J | | | | 250 |
| Total Phosphorus | mg/L | | | | | | | Not | Sampled | | | | | | | | 0.050 U | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3437 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | γ | our Results | After Ex | cavation o | n 11/3/201 | L6 | | | | | | | Compariso | n Standards | |
|------------------|------------|------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------|-------------------------------------|------------------|
| | | S01 Faucet | S02 Under Sink | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | 512 | \$13 | S14 | S15 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | 1st sample (125 mL) | 2nd sample (125 mL) | 3rd sample (1 liter) | 4th sample (1 liter) | 5th sample (1 liter) | 6th sample (1 liter) | 7th sample (1 liter) | 8th sample (1 liter) | 9th sample (1 liter) | 10th sample (1 liter) | 11th sample (1 liter) | 12th sample (1 liter) | 13th sample (1 liter) | 14th sample (1 liter) | 15th sample (1 liter) | Distribution System | Contaminant Level (MCL) | Action Level (AL) | Contaminant Level Goal (MCLG) | Secondary MCL |
| Cadmium | μg/L | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U | 5 | | 5 | |
| Chromium | μg/L | 0.59 U | 0.49 U | 0.41 U | 0.43 U | 0.45 U | 0.44 U | 2.0 U | 0.44 U | 0.51 U | 0.43 U | 0.46 U | 0.36 U | 0.36 U | 0.44 U | 0.44 U | 0.42 U | 100 | | 100 | |
| Copper | μg/L | 81.5 | 54.8 | 16.0 | 10.7 | 10.2 | 6.2 | 5.2 | 5.6 | 6.0 | 5.0 | 5.0 J | 4.7 | 4.7 J | 4.6 J | 4.5 J | 3.8 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 2.3 | 3.0 | 2.7 | 0.97 J | 0.93 J | 0.88 J | 0.83 J | 0.93 J | 2.3 | 1.6 | 0.88 J | 0.80 J | 0.79 J | 0.77 J | 0.75 J | 0.64 J | | 15 | 0 | |
| Manganese | μg/L | 1.9 | 0.47 J | 0.52 J | 0.56 J | 0.54 J | 0.53 J | 0.46 J | 0.55 J | 0.60 J | 0.56 J | 0.76 J | 0.58 J | 0.64 J | 0.64 J | 0.58 J | 0.63 J | | | | 50 |
| Nickel | μg/L | 9.6 | 1.8 | 0.75 | 1.2 | 0.79 | 0.64 | 0.61 | 0.69 | 0.65 | 0.64 | 0.64 | 0.57 | 0.65 | 0.59 | 0.57 | 0.70 | | | | |
| Zinc | μg/L | 287 J | 25.7 J | 11.0 J | 6.8 J | 6.7 J | 7.0 J | 5.1 J | 5.3 J | 4.8 J | 4.1 J | 4.5 J | 4.7 J | 5.0 J | 3.5 U | 3.5 U | 2.7 U | | | | 5000 |
| Aluminum | mg/L | 0.0714 | 0.0749 | 0.0686 | 0.0698 | 0.0662 | 0.0698 | 0.0697 | 0.0694 | 0.0703 | 0.0685 | 0.0669 | 0.0661 | 0.0675 | 0.0714 | 0.0687 | 0.0667 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 35.9 | 35.5 | 36.6 | 35.4 | 34.6 | 34.6 | 34.8 | 34.5 | 34.4 | 34.5 | 34.9 | 34.5 | 34.1 | 34.8 | 34.5 | 34.7 | | | | |
| Iron | mg/L | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.100 U | 0.053 J | 0.0155 J | 0.0161 J | 0.100 U | 0.0193 J | | | | 0.3 |
| Magnesium | mg/L | 12.2 | 12.0 | 12.4 | 12.0 | 11.7 | 11.7 | 11.8 | 11.7 | 11.7 | 11.7 | 11.8 | 11.6 | 11.5 | 11.7 | 11.6 | 11.7 | | | | |
| Potassium | mg/L | 1.80 | 1.75 | 1.74 | 1.81 | 1.76 | 1.74 | 1.74 | 1.73 | 1.78 | 1.75 | 1.78 | 1.79 | 1.73 | 1.70 | 1.79 | 1.82 | | | | |
| Sodium | mg/L | 12.0 | 11.6 | 11.7 | 12.0 | 11.8 | 11.6 | 11.8 | 11.7 | 11.8 | 11.7 | 11.9 | 11.8 | 11.6 | 11.8 | 11.8 | 11.9 | | | | |
| Tin | μg/L | 0.00027 J | 0.00071 J | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | 0.0010 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | Not | Sampled | | | | | | | | 105 | | | | |
| Chloride | mg/L | | | | | | | Not | Sampled | | | | | | | | 17.2 | | | | 250 |
| Fluoride | mg/L | | · | | | | | Not | Sampled | · | · | | · | | · | | 0.132 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | Not | Sampled | | | | | | | | 27.3 | | - | | 250 |
| Total Phosphorus | mg/L | | · | | | | | Not | Sampled | | • | | | | • | | 0.151 | | | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

μg/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated


Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.



Site 3443 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your Re | sults - Befo | re Excavat | on on 10/1 | 15/2016 | | | | | | | | | Comparis | on Standards | |
|------------------|------------|------------|------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------------|-------------|------------|----------------------|-------------|
| | | S01 | 502 | S03 | S04 | S05 | S06 | S07 | 508 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, DS03 | Maximum | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | | Contaminant | Action | Contaminant | Secondary |
| | | 1st sample | | 3rd sample | 4th sample | 5th sample | 6th sample | 7th sample | 8th sample | 9th sample | 10th sample | 11th sample | 12th sample | 13th sample | 14th sample | 15th sample | 16th sample | 17th sample | 18th sample | Distribution System | Level (MCL) | Level (AL) | Level Goal (MCLG) | MCL |
| | | (125 mL) | (125 mL) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | (1 liter) | , | | | | |
| Cadmium | μg/L | 1.5 J | 1.1 J | 1.4 J | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 0.69 U | 2.0 U | 2.0 U | 2.0 U | 5 | | 5 | - |
| Chromium | μg/L | 2.9 U | 2.5 U | 1.7 U | 2.1 U | 2.0 U | 2.0 U | 2.2 U | 1.8 U | 2.1 U | 2.0 U | 2.0 U | 1.9 U | 2.8 U | 1.9 U | 1.8 U | 1.2 U | 1.5 U | 1.7 U | 2.2 U | 100 | | 100 | - |
| Copper | μg/L | 76 | 52 | 130 | 7.0 U | 9.7 U | 6.6 U | 5.3 U | 4.5 U | 4.9 U | 4.2 U | 4.1 U | 4.1 U | 4.3 U | 3.9 U | 3.9 U | 4.2 U | 4.1 U | 4.0 U | 3.9 U | | 1300 | 1300 | 1000 |
| Lead | μg/L | 9.4 | 7.2 | 130 | 25 | 11 | 15 | 17 | 14 | 14 | 13 | 14 | 9.1 | 6.7 | 6.7 | 6.7 | 7.1 | 6.2 | 6.1 | 6.5 | | 15 | 0 | |
| Manganese | μg/L | 2.3 J | 1.8 J | 29 | 4.1 | 0.82 U | 0.97 U | 1.1 J | 0.78 U | 2.2 J | 0.75 U | 0.82 U | 0.91 U | 2.2 J | 0.91 U | 0.89 U | 1.4 J | 0.68 U | 0.69 U | 1.1 J | | _ | | 50 |
| Nickel | μg/L | 5.3 | 1.2 U | 1.6 U | 0.95 U | 0.74 U | 0.86 U | 0.99 U | 0.73 U | 0.96 U | 0.77 U | 1.0 U | 0.81 U | 1.1 U | 0.81 U | 0.85 U | 1.3 U | 0.72 U | 0.74 U | 0.86 U | | | | - |
| Zinc | μg/L | 300 | 46 | 320 | 29 | 14 J | 9.6 J | 11 J | 8.8 J | 12 J | 7.2 J | 10 J | 8.9 J | 6.2 J | 6.5 J | 6.0 J | 7.1 J | 6.4 J | 5.2 J | 8.8 J | | | | 5000 |
| Aluminum | mg/L | 0.094 J- | 0.088 J- | 0.30 J- | 0.11 J- | 0.099 J- | 0.10 J- | 0.10 J- | 0.093 J- | 0.10 J- | 0.096 J- | 0.10 J- | 0.10 J- | 0.095 J- | 0.098 J- | 0.097 J- | 0.11 J- | 0.094 J- | 0.089 J- | 0.095 J- | | - | _ | 0.05 to 0.2 |
| Calcium | mg/L | 36 | 34 | 34 | 35 | 35 | 35 | 35 | 34 | 39 | 36 | 38 | 37 | 36 | 37 | 37 | 43 | 37 | 35 | 36 | | | | |
| Iron | mg/L | 0.032 U | 0.064 U | 1.8 | 0.096 U | 0.035 U | 0.042 U | 0.029 U | 0.039 U | 0.037 U | 0.032 U | 0.026 U | 0.049 U | 2.1 | 0.028 U | 0.028 U | 0.037 U | 0.020 U | 0.020 U | 0.026 U | | | | 0.3 |
| Magnesium | mg/L | 14 | 12 | 13 | 13 | 13 | 13 | 14 | 13 | 14 | 13 | 13 | 13 | 13 | 13 | 13 | 15 | 13 | 12 | 13 | | | | |
| Potassium | mg/L | 1.8 | 1.6 | 1.6 | 1.6 | 1.7 | 1.7 | 1.8 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.9 | 1.6 | 1.6 | 1.6 | - | | | - |
| Sodium | mg/L | 13 | 11 | 11 | 12 | 12 | 12 | 13 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 13 | 12 | 11 | 12 | | | | |
| Tin | mg/L | 0.0026 U | 0.020 U | 0.0050 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0018 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.020 U | 0.0017 U | | | | |
| Total Alkalinity | mg CaCO3/L | | | | | | | | | Not Sam | oled | | | | | | | | | 120 | | | | - |
| Chloride | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 3.0 | | - | - | 250 |
| Fluoride | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.16 U | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | <u> </u> | | | | | | | Not Sam | oled | | | | | | | | | 40.5 J | _ | | _ | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not Sam | oled | | | | | | | | | 0.050 U | | - | | |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

(J+) = Potential high bias (based on laboratory quality checks, the actual value may be slightly lower than what is reported here).

(J-) = Potential low bias (based on laboratory quality checks, the actual value may be slightly higher than what is reported here).

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.

Site 3443 — Kitchen Sink Faucet Sequential Sampling by U.S. EPA Final Analytical Results

| | | | | | | | | | Your | Results - Af | ter Excavati | on on 11/19 | /2016 | | | | | | | | processing to still the policy of the processing of the policy of the po | Compariso | on Standards | |
|------------------|-------|------------|------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------|--|------------|--------------|-------------|
| | | S01 | S02 | S03 | S04 | S05 | S06 | S07 | S08 | S09 | S10 | S11 | S12 | S13 | S14 | S15 | S16 | S17 | S18 | DS01, DS02, | | | Maximum | |
| Parameter | Units | Faucet | Under Sink | | | | | | | | | | | | | | | | | DS03 | Maximum | Action | Contaminant | Secondary |
| rajametei | Omes | 1st sample | 2nd sample | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 13th | 14th | 15th | 16th | 17th | 18th | Distribution | Contaminant | Level (AL) | Level Goal | MCL |
| | | (125 mL) | (125 mL) | sample (1 liter) | System | Level (MCL) | | (MCLG) | |
| Cadmium | μg/L | 0.20 J | 0.42 | 1.2 | 0.31 | 0.20 | 0.08 J | 0.07 J | 0.08 J | 0.07 J | 0.07 J | 0.07 J | 0.06 J | 0.06 J | 0.07 J | 0.06 J | 0.05 J | 0.05 J | 0.05 J | 0.04 J | 5 | | 5 | - |
| Chromium | μg/L | 0.90 U | 0.98 U | 1.0 U | 0.98 U | 0.86 U | 0.94 U | 0.88 U | 0.92 U | 0.95 U | 0.95 U | 0.99 U | 0.91 U | 0.84 U | 0.89 U | 0.93 U | 0.92 U | 0.93 U | 0.95 U | 0.95 U | 100 | <u> </u> | 100 | _ |
| Copper | μg/L | 68.6 | 51.9 | 36.1 | 5.7 | 17.8 | 8.7 | 4.1 | 4.2 | 4.4 | 3.6 | 3.4 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 3.0 | 3.1 | 2.4 | | 1300 | 1300 | 1000 |
| Lead | μg/L | 4.8 | 4.9 | 81.2 | 12.9 | 14.2 | 22.3 | 21.8 | 21.0 | 17.7 | 20.0 | 20.3 | 10.8 | 6.6 | 6.2 | 6.0 | 5.6 | 5.6 | 6.0 | 4.7 | | 15 | 0 | |
| Manganese | μg/L | 0.26 J | 0.98 J | 21.1 | 1.5 | 1.4 | 0.85 J | 0.60 J | 0.58 J | 0.54 J | 0.58 J | 0.49 J | 0.58 J | 0.70 J | 0.72 J | 0.75 J | 0.83 J | 0.72 J | 0.80 J | 0.69 J | | - | _ | 50 |
| Nickel | μg/L | 1.3 | 12.3 | 1.1 | 0.75 | 1.1 | 1.2 | 0.71 | 0.76 | 0.70 | 0.72 | 0.71 | 0.70 | 0.70 | 0.80 | 0.87 | 0.80 | 0.70 | 0.68 | 0.66 | | | | |
| Tin | μg/L | 0.10 U | 1.0 U | 3.4 | 0.12 U | 0.09 U | 1.0 U | 0.10 U | 0.07 U | 0.33 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | | | | - |
| Zinc | μg/L | 194 | 63.5 | 164 | 31.2 | 28.4 | 12.0 | 10.2 | 11.1 | 11.8 | 9.4 | 8.2 | 7.5 | 8.0 | 7.8 | 7.6 | 8.9 | 6.8 | 7.9 | 4.9 U | | | | 5000 |
| Aluminum | mg/L | 0.0416 | 0.0550 | 0.168 | 0.0659 | 0.0604 | 0.0537 | 0.0496 | 0.0512 | 0.0486 | 0.0538 | 0.0516 | 0.0523 | 0.0476 | 0.0530 | 0.0484 | 0.0473 | 0.0459 | 0.0465 | 0.0458 | | | | 0.05 to 0.2 |
| Calcium | mg/L | 33.6 | 34.1 | 34.2 | 34.7 | 34.0 | 33.1 | 34.3 | 34.5 | 34.2 | 34.0 | 34.1 | 34.4 | 33.7 | 34.5 | 33.7 | 34.0 | 33.7 | 34.3 | 34.2 | | | | |
| Iron | mg/L | 0.100 U | 0.0458 J | 0.700 | 0.0418 J | 0.0640 J | 0.0313 J | 0.0264 J | 0.0644 J | 0.100 U | 0.0144 J | 0.0140 J | 0.100 U | 0.0153 J | 0.0147 J | 0.0219 J | 0.0278 J | 0.100 U | 0.0476 J | 0.100 U | | - | | 0.3 |
| Magnesium | mg/L | 11.8 | 12.1 | 12.0 | 12.0 | 11.9 | 11.7 | 12.1 | 12.3 | 12.2 | 12.0 | 12.0 | 12.2 | 12.0 | 12.2 | 11.9 | 12.1 | 12.0 | 12.1 | 12.1 | | | | |
| Potassium | mg/L | 1.55 | 1.54 | 1.62 | 1.63 | 1.61 | 1.54 | 1.57 | 1.61 | 1.61 | 1.61 | 1.56 | 1.60 | 1.56 | 1.58 | 1.56 | 1.62 | 1.60 | 1.58 | 1.60 | | _ | | |
| Sodium | mg/L | 11.0 | 11.2 | 11.1 | 11.3 | 11.0 | 10.8 | 11.1 | 11.3 | 11.2 | 11.1 | 11.1 | 11.2 | 11.1 | 11.2 | 11.0 | 11.1 | 11.0 | 11.2 | 11.2 | | | | - |
| Total Alkalinity | mg/L | | | | | | | | | Not San | npled | | | | | | | | | 105 | | | | |
| Chloride | mg/L | | | · | · | · | · | · | | Not San | npled | • | · | · | · | · | · | · | · | 17.0 | | | | 250 |
| Fluoride | mg/L | | | · | · | · | · | · | | Not San | npled | | · | · | · | · | · | · | · | 0.124 | 4 | | 4 | 2 |
| Sulfate as SO4 | mg/L | | | | | | | | | Not San | npled | | | | | | | | | 28.1 | | - | | 250 |
| Total Phosphorus | mg/L | | | | | | | | | Not San | npled | | | | | | | | | 0.256 | | | | - |

Notes:

mg/L = milligrams per liter (also called ppm or parts per million)

 μ g/L = micrograms per liter (also called ppb or parts per billion)

(U) = Not detected above the listed reporting limit

(J) = Estimated

Maximum Contaminant Level (MCL) = The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology and taking cost into consideration. MCLs are enforceable standards.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety and are non-enforceable public health goals.

Action Level (AL) = The Action level of 15 ppb (for the 90th percentile of compliance samples) is based on technical feasibility of reducing lead in drinking water through optimizing corrosion control. It is not a health based level.

Secondary MCL = non-mandatory water quality standards established only as guidelines to assist public water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL.

Method Detection Limit (MDL) indicates the level at which the laboratory has high confidence that the analyte is PRESENT in the sample but low confidence in the numerical result. MDLs are routinely reassessed by each laboratory to ensure the accurate presentation of their data.